


Calibre No.	5106A	Jewels	33j	Style Name
-------------	-------	--------	-----	------------



Cal. 5106A



### Characteristics

- Casing diameter: 25.60<sup>φ</sup>mm
- Maximum height: 4.98 mm
- Vibrations per hour: 19,800
- Automatic and auxiliary hand winding with sweep second
- Calendar (day & date)
- Spontaneous day & date change
- Pushing instant date change
- Second-setting device
- Micro-adjustor
- "Diashock" Shock Resistant Device
- "Diafix" Oil Lubrication Device

112005	122002	161002	171009	205004	213003	401014
224004	225002	231002	241005	245001	251006	301125
315003	331001	341003	344080	345004	395001	013940
271003	281001	282001	283001	284001	285002	286001
361001	362001	363001	364001	381002	382001	383002
385003	387002	388002	389001	391003	399003	491540
014334	014315	011203	011204	014317	015281	015291
						351036

Calibre No.

**5106A**

Jewels

**33j**

Style Name

Characteristics



191004



505001



509001



511001



514001



531001



836001



848001



851001



556002



559002



630002



631002



652002



655002



658002



802002



808002



810001



811001



817002



☆ 801002



☆ 870001



873001



875001



880002



881001



883002



884002



012123



012237



012262



012263



☆012208



012265



012347



012412



012413



012658



012659



012701



012704



012717



012718



012724



012726



390001

 $\frac{2}{1}$

Calibre No.		Jewels	Style Name	
<b>5106A</b>		<b>33j</b>		
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112005	Barrel & train-wheel bridge	015291	Diafix upper hole jewel with frame for escape wheel	
122002	Center wheel bridge	015291	Diafix lower hole jewel with frame for escape wheel	
161002	Pallet cock	011204	Diafix cap jewel	
171009	Balance cock	015213	Diafix spring	
191004	Framework for automatic device	505001	Transmission wheel	
205004	Complete barrel with arbor	509001	Oscillating weight with ball-bearing	
213003	Barrel arbor	511001	First reduction wheel	
224004	Center wheel & pinion with cannon pinion	514001	Second reduction wheel	
225002	Cannon pinion	531001	Differential wheel	
231002	Third wheel & pinion	836001	Transmission holder	
241005	Fourth wheel & pinion	848001	First reverser idler	
245001	Sweep second pinion	851001	Second reverser idler	
251006	Escape wheel & pinion	556002	Date finger	
261002	Minute wheel	559002	Date cam	
271003	Hour wheel	630002	Date cam jumper	
281001	Setting wheel	631002	Date cam jumper spring	
282001	Clutch wheel	652002	Lever slide	
283001	Winding pinion	655002	Date cam jumper guard	
284001	Crown wheel	658002	Date corrector guard	
285002	Ratchet wheel	☆801002	Date dial	
286001	Sliding crown wheel	802002	Date driving wheel	
287001	Intermediate ratchet wheel	808002	Date dial guard	
301125	Jewelled pallet fork & staff	810001	Date jumper	
310003	Balance complete with stud	811001	Date jumper spring	
315003	Balance staff	817002	Intermediate date wheel	
331001	Roller with jewel	☆870001	Day star with dial disk	
341003	Regulator	873001	Day jumper	
344080	Regulator adjusting device	875001	Day jumper spring	
345004	Stud holder	880002	Date corrector	
351036	Winding stem	881001	Date corrector lever	
361001	Second-setting spring	883002	Date corrector spring	
362001	Crown wheel guard	884002	Holding ring for dial	
363001	Sliding crown wheel spring	012123	Stud screw	
364001	Sliding crown wheel spring guard	012237	Setting lever axle spring screw	
381002	Click	012237	Setting lever spring screw	
382001	Click spring	012237	Date corrector spring screw	
383002	Setting lever	012262	Center wheel bridge screw	
384004	Yoke (Clutch lever)	012262	Pallet cock screw	
385003	Yoke spring (Clutch lever spring)	012263	Bridge screw	
387002	Minute wheel bridge	☆012208	Crown wheel guard screw	
388002	Setting lever spring	012265	Intermediate date wheel screw	
389001	Setting lever axle spring	012347	Date corrector guard screw	
390001	Setting lever axle	012412	Transmission wheel screw	
391003	Second-setting lever	012413	Screw for oscillating weight	
395001	Micro-adjustor	012658	Click screw	
399003	Casing clamp	012659	Intermediate ratchet wheel screw	
401014	Mainspring with slipping attachment (self-greasing)	012701	Transmission holder screw	
491540	Dial washer	012704	Date cam jumper guard screw	
493002	Hour wheel ring	012717	Date dial guard screw	
014313	Diashock upper frame	012718	Minute wheel bridge screw	
014334	Diashock lower frame	012718	Sliding crown wheel spring guard screw	
014315	Diashock hole jewel with frame	012724	Dial screw	
011203	Diashock upper cap jewel	012726	Casing clamp screw	
011204	Diashock lower cap jewel			
014317	Diashock spring			
015281	Diafix upper hole jewel with frame for 4th wheel			
015281	Diafix lower hole jewel with frame for 4th wheel			

— continued on next page —



Calibre No.	<b>5106A</b>	Jewels	Style Name
		<b>33j</b>	

PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS
	— continued —		
011105	Upper hole jewel for barrel		
011105	Lower hole jewel for barrel		
011132	Upper hole jewel for center wheel		
011104	Lower hole jewel for center wheel		
011308	Upper hole jewel for 3rd wheel		
011308	Lower hole jewel for 3rd wheel		
011710	Lower hole jewel for sweep second pinion		
011505	Upper hole jewel for pallet		
011505	Lower hole jewel for pallet		
011151	Upper hole jewel for 1st reduction wheel		
011151	Lower hole jewel for 1st reduction wheel		
011422	Upper hole jewel for differential wheel		
011422	Lower hole jewel for differential wheel		
011142	Upper hole jewel for 1st reverser idler		
011143	Lower hole jewel for 1st reverser idler		
011422	Upper hole jewel for 2nd reverser idler		
011143	Lower hole jewel for 2nd reverser idler		
013106	Tube for setting lever spring screw		
013106	Tube for date jumper		
013116	Tube for center wheel bridge screw		
013116	Tube for pallet cock		
013164	Tube for date corrector guard screw		
013165	Tube for second-setting lever ( Tube for date corrector guard screw )		
<b>013940</b>	<b>Micro-adjustor pin</b>		

**Remarks :**

**Date dial**

☆ 801002.....Used when both the crown and the date frame are located at **3** o'clock

If the date dial of this calibre is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

**Day star with dial disk**

☆ 870001.....Used when both the crown and the day frame are located at **3** o'clock

If the day star with dial disk is required in any other type, specify the number printed on the disk.

**Crown wheel guard screw**

☆ 012208..... 012264 crown wheel guard screw also acceptable

Items in light letters are not shown in photos.