

Calibre No.


5139A

Jewels

27j

Style Name

Basic Calibre 5106A 33J Catalog No. 51-06-1



Cal. 5139A



Characteristics

- Casing diameter: 25.60 ϕ mm
- Maximum height: 5.30 mm
- Vibrations per hour: 19,800
- Automatic winding with sweep second
- Calendar (day & date)
- Pushing instant date setting
- Second-setting device
- "Diashock" Shock Resistant Device
- "Diafix" Oil Lubrication Device



112006



122003



171017



205005



213004



401013



224005



225003



245002



251008



341004



345005



261004



271004



282002



387003



☆ 354016



191007



509002



862001



556003



☆ 801005

☆ 801006



884003



802003



808003



868001



☆ 870003



873002



875002



012327



012346



012508



012660



012728

2/1

Calibre No. 5139A		Jewels 27j	Style Name	
⇒ Basic Calibre 5106A 33J Catalog No. 51-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112006	Barrel & train-wheel bridge	514001	Second reduction wheel	
122003	Center wheel bridge	531001	Differential wheel	
161002	Pallet cock	836001	Transmission holder	
171017	Balance cock	848001	First reverser idler	
191007	Framework for automatic device	851001	Second reverser idler	
205005	Complete barrel with arbor	862001	Winding up wheel	
213004	Barrel arbor	556003	Date finger	
224005	Center wheel & pinion with cannon pinion	658002	Date corrector guard	
225003	Cannon pinion	☆ 801005	Date dial	
231002	Third wheel & pinion	☆ 801006		
241005	Fourth wheel & pinion	802003	Date driving wheel	
245002	Sweep second pinion	808003	Date dial guard	
251008	Escape wheel & pinion	810001	Date jumper	
261004	Minute wheel	811001	Date jumper spring	
271004	Hour wheel	868001	Day finger	
281001	Setting wheel	☆ 870003	Day star with dial disk	
282002	Clutch wheel	873002	Day jumper	
285002	Ratchet wheel	875002	Day jumper spring	
301125	Jewelled pallet fork & staff	880002	Date corrector	
310003	Balance complete with stud	881001	Date corrector lever	
315003	Balance staff	883002	Date corrector spring	
331001	Roller with jewel	884003	Holding ring for dial	
341004	Regulator	012123	Stud screw	
345005	Stud holder	012237	Setting lever axle spring screw	
☆ 354016	Winding stem	012237	Setting lever spring screw	
361001	Second-setting spring	012237	Date corrector spring screw	
381002	Click	012262	Center wheel bridge screw	
382001	Click spring	012262	Pallet cock screw	
383002	Setting lever	012263	Bridge screw	
384004	Yoke (Clutch lever)	012327	Date driving wheel screw	
385003	Yoke spring (Clutch lever spring)	012346	Date jumper screw	
387003	Minute wheel bridge	012347	Date corrector guard screw	
388002	Setting lever spring	012412	Transmission wheel screw	
389001	Setting lever axle spring	012413	Screw for oscillating weight	
390001	Setting lever axle	012508	Winding up wheel screw	
391003	Second-setting lever	012658	Click screw	
399003	Casing clamp	012660	Day jumper screw	
401013	Mainspring with slipping attachment (self-greasing)	012701	Transmission holder screw	
491540	Dial washer	012718	Minute wheel bridge screw	
493002	Hour wheel ring	012724	Dial screw	
014313	Diashock upper frame	012726	Casing clamp screw	
014334	Diashock lower frame	012728	Date dial guard screw	
014315	Diashock hole jewel with frame	011152	Upper hole jewel for center wheel	
011203	Diashock upper cap jewel	011146	Lower hole jewel for center wheel	
011204	Diashock lower cap jewel	011308	Upper hole jewel for 3rd wheel	
014317	Diashock spring	011308	Lower hole jewel for 3rd wheel	
015281	Diafix upper hole jewel with frame for 4th wheel	011710	Lower hole jewel for sweep second pinion	
015281	Diafix lower hole jewel with frame for 4th wheel	011505	Upper hole jewel for pallet	
015291	Diafix upper hole jewel with frame for escape wheel	011505	Lower hole jewel for pallet	
015291	Diafix lower hole jewel with frame for escape wheel	011422	Upper hole jewel for differential wheel	
011204	Diafix cap jewel	011422	Lower hole jewel for differential wheel	
015213	Diafix spring	011151	Upper hole jewel for 1st reduction wheel	
505001	Transmission wheel	013106	Lower hole jewel for 1st reduction wheel	
509002	Oscillating weight with ball-bearing	013106	Tube for setting lever spring screw	
511001	First reduction wheel	013116	Tube for date jumper screw	
		013116	Tube for center wheel bridge screw	
		013164	Tube for pallet cock screw	
		013164	Tube for date corrector guard screw	
		013165	Tube for second-setting lever (Tube for date corrector guard screw)	
		013173	Tube for date driving wheel screw	

☆ ⇒ Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. **5106A** 33J Catalog No. 51-06-1 Green page).

Calibre No.

5139A

Jewels

27j

Style Name

⇒ Basic Calibre **5106A** 33J Catalog No. 51-06-1

Remarks :

Winding stem

☆354016.....354010 winding stem also acceptable.

Date dial

☆801005.....Black figures on white background	} Used when the crown is located at 4 o'clock and the date frame at 3 o'clock.
☆801006.....Black figures on gilt background	

If the date dial is required in any other type, specify ① Cal. No. ② the crown position
③ the date frame position and ④ the dial No.

Day star with dial disk

☆870003.....Used when the crown is located at **4** o'clock and the day frame at **3** o'clock.

If the day star with dial disk is required in any other type, specify the number printed on the disk.