


Calibre No.	6146A	Jewels	25j	Style Name
-------------	-------	--------	-----	------------



Cal. 6146A

Characteristics

- Casing diameter: 27.00 ϕ mm
- Maximum height: 5.60 mm
- Vibrations per hour: 36,000
- Automatic and auxiliary hand winding with sweep second
- Calendar (day & date)
- Instant date setting (rotating crown)
- Second-setting device
- Micro-adjustor
- "Diashock" Shock Resistant Device
- "Diafix" Oil Lubrication Device

 112615	 122615	 161805	 171615	 ☆ 201615	 224615	 225611	 231615	 241615			
 251615	 301615	 310615	 315615	 331610	 341615	 344615	 345615	 261615	 271611	 282615	 283615
 285615	 381611	 383615	 384615	 385615	 387615	 388615	 391615	 014363			
 014364	 014365	 011210	 014317	 354615	 193615	 500615	 ☆ 801615				
 015411	 011206	 015113	 505611	 823615	 831615	 963610					
 839610	 802610	 803615	 810610	 814615	 817610	 868610	 808615	 ☆ 870615			

 022150	 022252	 022268	 022269	 022270	 022271	 022351	 022372
 022468	 022662	 022677	 022758	 022760	 022772	 ☆ 884611	

☆⇨ Please see remarks on the next page.

Calibre No.		Jewels	Style Name	
6146A		25j		
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112615	Barrel & train-wheel bridge	☆ 884611	Holding ring for dial	
122615	Center wheel bridge	022150	Stud screw	
161805	Pallet cock	022252	Holder screw for transmission wheel & pawl lever	
171615	Balance cock	022268	Click screw	
193615	Framework for automatic device with ball-bearing	022269	Minute wheel bridge screw	
☆ 201615	Complete barrel with arbor & mainspring	022270	Framework screw for automatic device with ball-bearing	
224615	Center wheel & pinion with cannon pinion	022271	Bridge screw	
225611	Cannon pinion	022351	Center wheel bridge screw	
231615	Third wheel & pinion	022372	Ratchet wheel screw	
241615	Sweep second wheel & pinion	022468	Pallet cock screw	
251615	Escape wheel & pinion	022662	Setting lever spring screw	
261615	Minute wheel	022677	Screw for day & date driving wheel	
271611	Hour wheel	022758	Dial screw	
282615	Clutch wheel	022760	Date dial guard screw	
283615	Winding pinion	022760	Setting wheel lever plate screw	
285615	Ratchet wheel	022772	Screw for oscillating weight	
301615	Jewelled pallet fork & staff	011123	Upper hole jewel for barrel	
310615	Balance complete with stud	011142	Lower hole jewel for barrel	
315615	Balance staff	011145	Upper hole jewel for center wheel	
331610	Roller with jewel	011146	Lower hole jewel for center wheel	
341615	Regulator	011406	Upper hole jewel for 3rd wheel	
344615	Regulator adjusting device	011421	Lower hole jewel for 3rd wheel	
345615	Stud holder	011306	Upper hole jewel for sweep second wheel	
354615	Winding stem	011503	Upper hole jewel for pallet	
381611	Click	011503	Lower hole jewel for pallet	
383615	Setting lever with axle	011701	Hole jewel for minute wheel	
384615	Yoke (Clutch lever)	011147	Upper hole jewel for transmission wheel	
385615	Yoke spring (Clutch lever spring)	011147	Lower hole jewel for transmission wheel	
387615	Minute wheel bridge	023150	Tube for pallet cock screw (Cylinder type)	
388615	Setting lever spring	023151	Tube for bridge screw	
391615	Second-setting lever	023170	Tube for pallet cock screw (Recessed type)	
014363	Diashock upper frame	023171	Tube for framework screw of automatic device	
014364	Diashock lower frame			
014365	Diashock hole jewel with frame			
011210	Diashock cap jewel			
014317	Diashock spring			
015411	Diafix upper hole jewel with frame for escape wheel			
015411	Diafix lower hole jewel with frame for escape wheel			
011206	Diafix cap jewel			
015113	Diafix spring			
500615	Oscillating weight			
505611	Transmission wheel			
823615	Eccentric post			
831615	Pawl lever with jewel			
839610	Holder for transmission wheel & pawl lever			
☆ 801615	Date dial			
802610	Date driving wheel			
803615	Setting wheel lever complete			
808615	Date dial guard			
810610	Date jumper			
814615	Setting wheel lever plate			
817610	Intermediate date wheel			
868610	Day finger			
☆ 870615	Day star with dial disk (English letters)			
963610	Snap for day star with dial disk			

☆⇨Please see remarks on the next page.
Items in light letters are not shown in photos.

Calibre No. <h1 style="text-align: center;">6146A</h1>	Jewels <h1 style="text-align: center;">25j</h1>	Style Name
--	---	-------------------

Remarks :

Complete barrel with arbor & mainspring

☆ 201615.....Mainspring is set in this complete barrel. It is impossible to open the barrel cover, for the barrel cover is attached firmly on the barrel drum.

Date dial

☆ 801615.....Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆ 870615.....Used when both the crown and the day frame are located at **3** o'clock.

If the day star with dial disk is required in any other type, specify the number printed on the disk.

Holding ring for dial ————— Measure the total thickness and the outside diameter —————

☆ 884611.....1.82 mm total thickness and 29.1 ϕ mm outside diameter

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.