

Calibre No.	6156A	Jewels	25j	Style Name
⇒ Basic Calibre 6146A 25J Catalog No. 61-46-1				



Cal. 6156A

Characteristics

Casing diameter : 27.00^φ mm
 Maximum height : 5.65 mm
 Vibrations per hour : 36,000
 Automatic and auxiliary hand winding with sweep second
 Calendar (day & date)
 Bilingual change-over system for day of week
 Instant setting device for day & date calendar
 Second-setting device
 Micro-adjustor
 "Diashock" Shock Resistant Device
 "Diafix" Oil Lubrication Device

112527	122520	161618	171526	☆201595	224617	231520	241520		
251521	301617	310617	315617	331560	341617	344617	345617	383618	387617
388618	015450	354616	193556	500523	823619	839611			
556611	802611	803616	808614	810611	814617	868611	☆870933		
873610	986617								
			2/1						
022458	022689	022761					☆884522		

☆⇒ Please see remarks on the next page.
 As for all other parts not shown here, please refer to the basic calibre

Calibre No. 6156A		Jewels 25j	Style Name	
Basic Calibre 6146A 25J Catalog No.61-46-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112527	Barrel & train-wheel bridge	868611	Day finger	
122520	Center wheel bridge	☆ 870933	Day star with dial disk (English ↔ Japanese)	
161618	Pallet cock	873610	Day jumper	
171526	Balance cock	☆ 884522	Holding ring for dial	
193556	Framework for automatic device with ball-bearing	963610	Snap for day star with dial disk	
☆ 201595	Complete barrel with arbor & mainspring	986617	Day-date corrector wheel rocking lever	
224617	Center wheel & pinion with cannon pinion	022150	Stud screw	
225611	Cannon pinion	022252	Holder screw for transmission wheel & pawl lever	
231520	Third wheel & pinion	022269	Minute wheel bridge screw	
241520	Sweep second wheel & pinion	022270	Framework screw for automatic device with ball-bearing	
251521	Escape wheel & pinion	022271	Bridge screw	
261615	Minute wheel	022351	Center wheel bridge screw	
271611	Hour wheel	022372	Ratchet wheel screw	
282615	Clutch wheel	022458	Screw for oscillating weight	
283615	Winding pinion	022468	Pallet cock screw	
285615	Ratchet wheel	022662	Setting lever spring screw	
301617	Jewelled pallet fork & staff	022677	Screw for day & date driving wheel	
310617	Balance complete with stud	022689	Click screw	
315617	Balance staff	022760	Date dial guard screw	
331560	Roller with jewel	022760	Setting wheel lever plate screw	
341617	Regulator	022760	Day jumper screw	
344617	Regulator adjusting device	022761	Dial screw	
345617	Stud holder	011123	Upper hole jewel for barrel	
354616	Winding stem	011142	Lower hole jewel for barrel	
381611	Click	011718	Upper hole jewel for center wheel	
383618	Setting lever with axle	011146	Lower hole jewel for center wheel	
384615	Yoke (Clutch lever)	011406	Upper hole jewel for 3rd wheel	
385615	Yoke spring (Clutch lever spring)	011424	Lower hole jewel for 3rd wheel	
387617	Minute wheel bridge with intermediate wheel for day correction	011306	Upper hole jewel for sweep second wheel	
388618	Setting lever spring	011503	Upper hole jewel for pallet	
391615	Second-setting lever	011701	Hole jewel for minute wheel	
014363	Diashock upper frame	011147	Upper hole jewel for transmission wheel	
014364	Diashock lower frame	011147	Lower hole jewel for transmission wheel	
014365	Diashock hole jewel with frame	023150	Tube for pallet cock screw (Cylinder type)	
011210	Diashock cap jewel	023151	Tube for bridge screw	
014317	Diashock spring	023170	Tube for pallet cock screw (Recessed type)	
015411	Diafix upper hole jewel with frame for escape wheel	023171	Tube for framework screw of automatic device	
015411	Diafix lower hole jewel with frame for escape wheel			
011206	Diafix cap jewel			
015113	Diafix spring			
015450	Diafix lower hole & cap jewel with frame for pallet			
500523	Oscillating weight			
505611	Transmission wheel			
823619	Eccentric post			
831615	Pawl lever with jewel			
839611	Holder for transmission wheel & pawl lever			
556611	Date finger			
☆801615	Date dial			
802611	Date driving wheel			
803616	Setting wheel lever complete			
808614	Date dial guard			
810611	Date jumper			
814617	Setting wheel lever plate			
817610	Intermediate date wheel			

☆⇒ Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. **6146A** 25J Catalog No. 61-46-1 Green page)

Calibre No.

6156A

Jewels

25j

Style Name

⇒ Basic Calibre **6146A** 25J Catalog No. 61-46-1

Remarks :

Complete barrel with arbor & mainspring

☆ 201595.....Mainspring is set in this complete barrel. It is impossible to open the barrel cover, for the barrel cover is attached firmly on the barrel drum.

Date dial

☆ 801615.....Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆ 870933 (English ↔ Japanese)Used when both the crown and the day frame are located at **3** o'clock.

When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.

Holding ring for dial ————— Measure the total thickness and the outside diameter. —————

☆ 884522.....2.32 mm total thickness and 29.2 ϕ mm outside diameter.

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.