

GRADE	ARBORS					ARM VIBRATING	BALANCE	BALANCE COMPLETE	BAND DUST	BAR SETTING	BARREL	BARREL HUB & SCREW	BUSHINGS		CAMS
	BARREL	PALLET	SETTING	SWEEP SECOND	WINDING								BARREL ARBOR	CENTER STAFF	SETTING
401	2549	X214			2052		X242-G.	4077	2553		2558	2564			
402	2549	1304			2052		X242-G.	4077	2553		2558	2564	2565		
403	2637	2550			2551		2552	4116			4154				1788
404	1760	2550			1776		1781	4115			4127				1788
405	1760	2550			1776		1781-G.	4740			4127				1788
406	2053	2312			1775		1724	4112	2114		2132				1787
407	2732	4014			2734		2735	4742	2736		2737				2738
408	1760 *2637	2550			2551		2552	4116			4154				1788
409	2053	2312			1775		1724	4112	2913		2132				1787
410	2053	2312			1775		1724	4112	2913		2132				1787
411	X190	1303				1737	X236	4057	2141		X269				
412	1757	1762			1772		1779	4061	1740		1782	1909	1887		
413	2053	2312			1775		1724	4112			2132				1787
414	2053	2312			1775		1724	4112			2132				1787
415	2053	2312			1775		1724	4112			2132				1787
416	2053	2312			1775		1724	4112			2132				1787
417	2053	2312			1775		2952	4117			2132				1787
418	2053	2312			1775		2952	4117			2132				1787
419	2053	2312			1775		2952	4117			2132				1787
420	2053	2312			1775		2952	4117			2132				1787
421															
422															
423	2053	2312			1775		2952-G.	4117			2132				1787
424	2053	2312			1775		2952-G.	4117			2132				1787
425	2636	2550			4210		1781-G.	4390			4127				
426	2636 *4118	2550			4210		1781	4396			4127				
427	2636 4118	2550			4210		1781-G.	4390			4127				
428	4152	2550			4213		2552	4175			4158				
429	4152	2550			4213		2552	4175			4158				
430	4152	2550			4213		2552	4175			4158				
431	4152	2550			4213		2552	4175			4158				
432	1760 *2637	2550			2551		2552	4116			4154				1788
433	2732	4014			2734		2735-G.	4744			2737-N.				2738
434	2732	4014			2734		2735-G.	4744			2737-N.				2738
435	2732	2733			2734		2735	4409			2737				2738
436	2732	2733			2734		2735	4409			2737				2738
437	2732	2733			2734		2735	4745	2736		2737				2738
438	4178	4014			4353		2735-G.	4744			2737-N.				
439	4178	4014			4353		2735-G.	4744			2737				
440	4178	2733			4353		2735	4409			2737				

*2637 began with Serial Number 19356601.
 1760 Barrel Arbor has D Shoulder.
 2637 Barrel Arbor has Square Shoulder.
 2638 Barrel Arbor has D Shoulder.
 4118 Barrel Arbor has Square Shoulder.
 *4118 began with Serial Number 19286601.
 *2637 began with Serial Number 19201101.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

CAMs	CAPS		CLAMPS								CLICK	CLICK FINISH	CLUTCHES		GRADE
	SETTING SPRING	ARBOR	RATCHET	BALANCE CAP UPPER	BALANCE CAP LOWER	CASE	MINUTE WHEEL	RATCHET	RATCHET WHEEL	RATCHET WHEEL FINISH			SETTING WHEEL	SETTING	
						1315		2568	C		1808	A-5	1807	401	
						1315		2568	C		1808	A-5	1807	402	
1791						2567				2567	1805	A-17	1810	403	
1791						1798				1798	1805	C-3	1810	404	
1791						1798				1798	1805	A-5	1810	405	
1790						2672				2672	1804	A-17	1809	406	
2739						2740				2740	2742	A-5	2741	407	
1791						2567				2567	1805	A-17	1810	408	
1790						2672				2672	1804	G-1	1809	409	
1790						2672				2672	1804	G-1	1809	410	
2538						2945				<i>2568</i>				411	
								1792	C	2569	1801	A-5	1806	412	
2916						2923				2923	1804	G-1	1809	413	
2916						2923				2923	1804	G-1	1809	414	
2916						2923				2923	1804	A-17	1809	415	
2916						2923				2923	1804	A-17	1809	416	
2916						2923				2923	1804	G-1	1809	417	
2916						2923				2923	1804	G-1	1809	418	
2916						2923				2923	1804	A-17	1809	419	
2916						2923				2923	1804	A-17	1809	420	
														421	
														422	
2916						2923				2923	1804	A-5	1809	423	
2916						2923				2923	1804	A-5	1809	424	
						4120				4120	<i>4132</i>	A-5	1810	425	
						4120				4120	<i>4132</i>	C-3	4121	426	
						4120				4120	<i>4132</i>	A-5	4121	427	
						4159				4159	<i>4132</i>	A-17	4121	428	
						4159				4159	<i>4132</i>	A-17	4121	429	
						4159				4159	<i>4132</i>	A-17	4121	430	
						4159				4159	<i>4132</i>	A-17	4121	431	
1791						2567				2567	1805	A-17	1810	432	
						2740				2740	2742	A-23	2741	433	
						2740				2740	2742	A-23	2741	434	
						2740				2740	2742	A-23	2741	435	
						2740				2740	2742	B-7	2741	436	
2739						2740				2740	2742	A-5	2741	437	
						4180				4180	2742	A-23	2741	438	
						4180				4180	2742	A-23	2741	439	
						4180				4180	2742	A-23	2741	440	

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	COLLETS		CUPS		DIAL	FORK	HANDS		HUBS		INDEX	JEWELS			
	BARREL ARBOR	HAIR SPRING	ARBOR	CENTER			HOUR AND MINUTE	SECOND	BARREL	BARREL ARBOR		BALANCE			
												HOLE		CAP	
												UPPER	LOWER	UPPER	LOWER
401		1318			16 ^s	1814	16 ^s	16 ^s	2575	2576	2577	<i>2580</i>	<i>2580</i>	1349	1350
402		1318			16 ^s	1814	16 ^s	16 ^s	2575	2576	2577	<i>2086</i>	<i>2086</i>	1349	1350
403		2744			5/0 ^s		5/0 ^s	5/0 ^s		1819		<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
404		2139			10/0 ^s		10/0 ^s	10/0 ^s		1819		<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
405		2139			10/0 ^s		10/0 ^s	10/0 ^s		1819		<i>2189</i>	<i>2189</i>	2195	2190
406		X359			0 ^s		0 ^s	0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
407		2743			[^] 12 ^s		12 ^s	12 ^s		2745	2746	<i>2926</i>	<i>2926</i>	2839	<i>X466</i>
408		2744			5/0 ^s		5/0 ^s	5/0 ^s		1819		<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
409		X359			0 ^s		0 ^s	0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
410		X359			0 ^s		0 ^s	0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
411		X352			18 ^s	2574	18 ^s	18 ^s			X432	<i>X443</i>	<i>X443</i>	2191	1343
412		1811			18 ^s 3/4	1814	18 ^s	18 ^s	1820	1816	1823	<i>2086</i>	<i>2086</i>	2087	1350
413		X359			3/0 ^s		3/0 ^s	3/0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
414		X359			3/0 ^s		3/0 ^s	3/0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
415		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
416		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
417		X359			3/0 ^s		3/0 ^s	3/0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
418		X359			3/0 ^s		3/0 ^s	3/0 ^s				<i>X455</i>	<i>X455</i>	2194	1356
419		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
420		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
421															
422															
423		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
424		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	<i>X455</i>	<i>X455</i>	2194	1356
425		2139			10/0 ^s		10/0 ^s	10/0 ^s		1819		<i>2189</i>	<i>2189</i>	2195	2190
426		2139			10/0 ^s		10/0 ^s	10/0 ^s		1819		<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
427		2139			10/0 ^s		10/0 ^s	10/0 ^s		1819		<i>2189</i>	<i>2189</i>	2195	2190
428		2744			6/0 ^s		6/0 ^s	6/0 ^s				<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
429		2744			6/0 ^s		6/0 ^s	6/0 ^s				<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
430		2744			6/0 ^s		6/0 ^s	6/0 ^s				<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
431		2744			6/0 ^s		6/0 ^s	6/0 ^s				<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
432		2744			5/0 ^s		5/0 ^s	5/0 ^s		1819		<i>2189</i>	<i>2189</i>	<i>2196</i>	<i>2190</i>
433		2743			[*] 12 ^s		2540	2541		2745	2746	<i>2926</i>	<i>2926</i>	4181	<i>X466</i>
434		2743			[*] 12 ^s		2540	2541		2745	2746	<i>2926</i>	<i>2926</i>	4181	<i>X466</i>
435		2743			[*] 12 ^s		2540	2541		2745	2746	<i>4806</i>	<i>4806</i>	<i>2193</i>	<i>X466</i>
436		2743			[*] 12 ^s		2540	2541		2745	2746	<i>4806</i>	<i>4806</i>	<i>2193</i>	<i>X466</i>
437		2743			[^] 12 ^s		2540	2541		2745	2746	<i>4806</i>	<i>4806</i>	4755	<i>X466</i>
438		2743			[*] 12 ^s		12x16 ^s	12x16 ^s		2745	2746	<i>2926</i>	<i>2926</i>	4181	<i>X466</i>
439		2743			[*] 12 ^s		12x16 ^s	12x16 ^s		2745	2746	<i>4806</i>	<i>4806</i>	4181	<i>X466</i>
440		2743			[*] 12 ^s		12x16 ^s	12x16 ^s		2745	2746	<i>4806</i>	<i>4806</i>	<i>2193</i>	<i>X466</i>

[^] Special.
^{*} Streamline

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

JEWELS															GRADE
BARREL ARBOR		SWEEP SECOND ARBOR	CENTER		ESCAPE				FOURTH		PALLET				
UPPER	LOWER		UPPER	LOWER	HOLE		CAP		UPPER	LOWER	HOLE		CAP		
					UPPER	LOWER	UPPER	LOWER			UPPER	LOWER	UPPER	LOWER	
2586	2587		1336	1343	1368	X486			1392	1403	2261	2428			401
			1336	1343	1371	2182	2199	1362	1392	2234	2093	2250	2203	2202	402
															403
					2232	2938			2245	2930	2268	2943			404
			2217	2208	2231	2939			2244	2931	2937	2944			405
					1378	1384			1400	1406	2267	2254			406
			2212	2207	2228	2182	2199	1362	1392	X514	2093	2250	2203	2202	407
					2232	2938			2245	2930	2937	2943			408
															409
					1378	1384			1400	1406	2267	2254			410
			2209	1341	1364	1380	2929	1360	2239	2233	1408	2249	2204	2200	411
			2090	2089	2091	1380	2088	1360	2092	1402	2093	2249	2203	2200	412
															413
															414
					1378	1384			1400	1406	1419	2254			415
					1378	1384			1400	1406	1419	2254			416
															417
															418
					1378	1384			1400	1406	1419	2254			419
					1378	1384			1400	1406	1419	2254			420
															421
															422
			2215	1346	2229	X492			2242	X516	2266	2253			423
			2215	1346	2229	X492			2242	X516	2266	2253			424
			2217	2208	2231	2939			2244	2931	2937	2944			425
					2232	2938			2245	2930	2937	2943			426
			2217	2208	2231	2939			2244	2931	2937	2944			427
					2232	2938			2245	2930	2937	2943			428
					2232	2938			2245	2930	2937	2943			429
															430
															431
															432
			2212	2207	2228	2182	2199	1362	1392	X514	2093	2250	4403	2202	433
			2212	2207	1370	X490			1392	X514	2093	2250	4403	2202	434
			2213	2207	1368	1382			1390	1405	2267	2426			435
			2213	2207	1368	1382			1390	1405	2267	2426			436
			2213	2207	1368	1382			1390	1405	2267	2426			437
			2212	2207	2228	2182	2199	1362	1392	X514	4402	2250	4403	2202	438
			2212	2207	1370	X490			1392	X514	4402	2250	4403	2202	439
			2213	2207	1368	1382			1390	1405	2267	2426			440

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	JEWELS				LEVERS				NUTS				PALLETS		
	THIRD		★ ROLLER JEWEL	♠ PALLET STONE	CAM	CLUTCH	REGU- LATOR ADJUST- ING	SETTING	CENTER		MEAN TIME	REGU- LATOR	REGULA- TOR NUT AND SCREW	WITH STONES	AND FORK WITH STONES
	UPPER	LOWER							PINION	WHEEL					
401	1427	1436	2075-D.	X546-S.		2794	2795			2793	1446	1447	2675	2676	
402	1427	2270	2075-D.	X546-S.		2794	2795			2793	1446	1447	2675	2676	
403			2150-C.	2151-G.		1829	1834							2683	
404	2281	2933	2150-C.	2151-G.		1829	1834							2683	
405	2280	2932	2150-C.	2151-G.		1829	1834							2683	
406			X571-C.	X558-G.		1828	1833							2681	
407	1427	1436	2670-D.	X556-G.		2751	2752				1548	2753		2977	
408	2281	2933	2150-C.	2151-G.		1829	1834							2683	
409			X571-C.	X558-G.		1828	1833							2681	
410	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
411	2275	2269	X559-C.	X546-G.			<i>1743</i> <i>4148</i>				X579	X584	X2	2677	
412	2094	1435	2075-D.	X546-S.		1826	1831		1835	2792	X579	1837	2675	2676	
413			X571-C.	X558-G.		1828	1833							2681	
414			X571-C.	X558-G.		1828	1833							2681	
415	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
416	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
417			X571-C.	X558-G.		1828	1833							2681	
418			X571-C.	X558-G.		1828	1833							2681	
419	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
420	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
421															
422															
423	2278	X544	X571-C.	X558-G.		1828	1833				1549	1551		2681	
424	2278	X544	X571-C.	X558-G.		1828	1833				1549	1551		2681	
425	2280	2932	2150-C.	2151-G.		4122	<i>4123</i>							2683	
426	2281	2933	2150-C.	2151-G.		4122	<i>4123</i>							2683	
427	2280	2932	2150-C.	2151-G.		4122	<i>4123</i>							2683	
428	2281	2933	2150-C.	2151-G.		<i>4122</i> <i>*4427</i>	4721							2683	
429	2281	2933	2150-C.	2151-G.		<i>4122</i> <i>†4427</i>	4720							2683	
430			2150-C.	2151-G.		<i>4122</i> <i>*4427</i>	4721							2683	
431			2150-C.	2151-G.		<i>4122</i> <i>**4427</i>	4720							2683	
432			2150-C.	2151-G.		1829	1834							2683	
433	1427	1436	2670-D.	X556-S.		2751	2752				1548	2753		2974	
434	1427	1436	2670-D.	X556-S.		2751	2752				1548	2753		2974	
435	1425	X538	X570-C.	X556-G.		2751	2752				1548	2753		2865	
436	1425	X538	X570-C.	X556-G.		2751	2752				1548	2753		2865	
437	1425	X538	X570-C.	X556-G.		2751	2752				1548	2753		2865	
438	1427	1436	2670-D.	X556-S.		4184	4185				1548	2753		2974	
439	1427	1436	2670-D.	X556-S.		4184	4185				1548	2753		2974	
440	1425	X538	X570-C.	X556-G.		4184	4185				1548	2753		2865	

*4427 began with Serial Number 23107001.
 †4427 began with Serial Number 23108001.
 ‡4427 began with Serial Number 23109001.
 **4427 began with Serial Number 23112001.

On Roller Jewels:
 D. = Double Roller.
 C. = Combination Roller.

*There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

*Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

PALLETS	PINIONS										PINS		PIVOT	RATCHET	GRADE
	FORK AND ARBOR WITH STONES	BEVEL	BEVEL SETTING	CANNON	CENTER	ESCAPE	FOURTH	SETTING	SUB CENTER	SWEEP SECOND	THIRD	BEVEL PINION	SETTING		
2592	1851	1457	2599	1461	X659	X700	401	
2593	1851	1457	2599	1462	X659	X700	402	
2691	1854	2912	2955	1869	1875	1881	403	
2691	1854	2912	2956	1869	1875	1881	404	
2691	1854	2912	2956	1869	1875	1881	405	
2690	1853	2935	2055	1868	1873	1880	406	
2965	2759	2760	2761	2867	2796	2763	407	
2691	1854	2912	2955	1869	1875	1881	408	
2690	1853	2935	2055	1868	1874	1880	409	
2690	1853	2935	2055	1868	1874	1880	410	
2895	1738	X180	X652	1459	X182	1876	1744	411	
2684	1850	1855	1858	1864	1870	1877	412	
2690	1853	2935	2055	1868	1873	1880	413	
2690	1853	2935	2055	1868	1874	1880	414	
2690	1853	2935	2055	1868	1873	1880	415	
2690	1853	2935	2055	1868	1874	1880	416	
2690	4017	X650	2055	1868	1873	1880	417	
2690	4017	X650	2055	1868	1874	1880	418	
2690	4017	X650	2055	1868	1873	1880	419	
2690	4017	X650	2055	1868	1874	1880	420	
.....	421	
.....	422	
2968	4017	2935	2055	1868	1873	1880	423	
2968	4017	2935	2055	1868	1874	1880	424	
2691	4124	4133	4134	1869	1875	1881	425	
2691	4124	4133	4134	1869	1875	1881	426	
2691	4124	4133	4134	1869	1875	1881	427	
2691	4124	4531	2955	1869	4163	1881	428	
2691	4124	4531	2955	1869	4163	1881	429	
2691	4124	4531	2955	1869	4163	1881	430	
2691	4124	4531	2955	1869	4163	1881	431	
2691	1854	2912	2955	1869	1875	1881	432	
4304	2759	4187	2761	2867	2796	2763	433	
4305	2759	4187	2761	2762	2796	2763	434	
4306	2759	4187	2761	2762	2796	2763	435	
4306	2759	4187	2761	2762	2796	2763	436	
4306	2759	2760	2761	2762	2796	2763	437	
4304	4186	4187	2761	2867	4188	2763	438	
4305	4186	4187	2761	2762	4188	2763	439	
4306	4186	4187	2761	2762	4188	2763	440	

Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

GRADE	RING FRICTION	REGULATOR	★ROLLERS					SCREWS							
			COMBINATION		SAFETY	TABLE		ARM VIBRATING	BALANCE	BANKING	BAR SETTING	BRIDGE			
			WITHOUT PIN	WITH PIN		WITHOUT PIN	WITH PIN					ARBOR SWEEP SECOND	BARREL	BEVEL PINION	CENTER
401		2645			1888	1884	2382		886	<i>2302</i>			<i>1584</i>		
402		2645			1888	1884	2382		886	<i>2302</i>			<i>1584</i>		
403		2880	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
404		1893	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
405		1893	2653	<i>2699</i>					2285	<i>2027</i>			<i>2030</i>		
406		2649	2652	2698					2728	2833			<i>2012</i>		
407		4189			2650	2654	2999		2728	2616			2614		
408		2880	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
409		4018	2652	2698					2728	2833			<i>2012</i>		
410		4018	2652	2698					2728	2833			<i>2012</i>		
411		X720	2651	2696					888	<i>2301</i>			<i>1747</i>	1999	
412		2644			1888	1884	2382		2042	2306			<i>2036</i>		
413		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
414		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
415		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
416		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
417		4331	2652	2698					2728	<i>2837</i>			<i>2012</i>		
418		4331	2652	2698					2728	<i>2837</i>			<i>2012</i>		
419		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
420		4018	2652	2698					2728	<i>2837</i>			<i>2012</i>		
421															
422															
423		4018	2652	2698					2284	<i>2837</i>			<i>2012</i>		
424		4018	2652	2698					2284	<i>2837</i>			<i>2012</i>		
425		4332	2653	<i>2699</i>					2285	<i>2027</i>			<i>2030</i>		
426		4135	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
427		4135	2653	<i>2699</i>					2285	<i>2027</i>			<i>2030</i>		
428		4165	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
429		4165	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
430		4165	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
431		4165	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
432		2880	2653	<i>2699</i>					2729	<i>2027</i>			<i>2030</i>		
433		2764			2650	2654	2700		2284	2616			2614		
434		4189			2650	2654	2700		2284	2616			2614		
435		4189	2869	2872					2728	2616			2614		
436		4189	2869	2872					2728	2616			2614		
437		4189	2869	2872					2728	2616			2614		
438		2764			2650	2654	2700		2284	2616			2614		
439		4189			2650	2654	2700		2284	2616			2614		
440		4189	2869	2872					2728	2616			2614		

★There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS														GRADE	
PALLET	BRIDGE		CAM SETTING	CAM SETTING SPRING	CAP ARBOR	CAP BRIDGE	CAP RATCHET	CASE	CLAMP						
	WINDING								BALANCE JEWEL		CASE	MINUTE WHEEL	PALLET JEWEL		RATCHET
	LONG	SHORT							UPPER	LOWER					
894								<i>1591</i>				926			401
894								<i>1591</i>				926			402
2031				2625				<i>2029</i>				2047			403
2031				<i>2020</i>				<i>2029</i>				2047			404
2031				<i>2020</i>				<i>2029</i>				2047			405
2013				2014				<i>1595</i>				2018			406
2000				2002				<i>2630</i>				<i>2023</i>			407
2031				2625				<i>2029</i>				2047			408
2013				2014				<i>1595</i>				2018			409
2013				2014				<i>1595</i>				2018			410
								<i>903</i>				926			411
2037								<i>2034</i>							412
2013				2014				<i>1595</i>				2018			413
2013				2014				<i>1595</i>				2018			414
2013				2014				<i>1595</i>				2018			415
2013				2014				<i>1595</i>				2018			416
2013				2014				<i>2957</i>				2018			417
2013				2014				<i>2957</i>				2018			418
2013				2014				<i>2957</i>				2018			419
2013				2014				<i>2957</i>				2018			420
															421
															422
2013				2014				<i>2957</i>				2018			423
2013				2014				<i>2957</i>				2018			424
2031								<i>4027</i>				2047			425
2031								<i>2029</i>				2047			426
2031								<i>2029</i>				2047			427
2031								<i>2029</i>				2047			428
2031								<i>2029</i>				2047			429
2031								<i>2029</i>				2047			430
2031								<i>2029</i>				2047			431
2031				2979				<i>2029</i>				2047			432
2000				2002				<i>2630</i>				<i>2023</i>			433
2000				2002				<i>2630</i>				<i>2023</i>			434
2000				2002				<i>2630</i>				<i>2023</i>			435
2000				2002				<i>2630</i>				<i>2023</i>			436
2000				2002				<i>2630</i>				<i>2023</i>			437
2000								<i>2630</i>				<i>2023</i>			438
2000								<i>2630</i>				<i>2023</i>			439
2000								<i>2630</i>				<i>2023</i>			440

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS														
	CLAMP		CLICK	CLUTCH SETTING	CUP ARBOR	COCK		DIAL	DIAL FOOT	HUB BARREL	INDEX	JEWEL			
	RATCHET WHEEL	SETTING WHEEL				BAL-ANCE	ESCAPE					BALANCE		BARREL LOWER	CENTER UPPER
			UPPER	LOWER											
401	2621		2292			1584		2458	2730	1603	2025	2023	2025	2023	
402	2621		2292			1584		2458	2730	1603	2025	2023		2023	
403		2047	2045			2030		2441			2048	2048			
404		2047	2045			2030		2441			2048	2048			
405		2047	2045			2030		2441			2048	2048		2286	
406		2018	2016			2012		2822			2020	2020			
407		2023	2003			2614		2458		2024	2824	1607		2006	
408		2047	2045			2030		2441			2048	2048			
409		2018	2016			2012		2822			2020	2020			
410		2018	2016			2012		2822		2011	2020	2020			
411						1749		911		912	913	913		913	
412	2621	2038	2292			2036		2059	2429	910	2025	913		2023	
413		2018	2016			2012		2911			2020	2020			
414		2018	2016			2012		2911			2020	2020			
415		2018	2016			2012		2911		2011	2020	2020			
416		2018	2016			2012		2911		2011	2020	2020			
417		2018	2016			2012		2911			2020	2020			
418		2018	2016			2012		2911			2020	2020			
419		2018	2016			2012		2911		2011	2020	2020			
420		2018	2016			2012		2911		2011	2020	2020			
421															
422															
423		2018	2016			2012		2911		2011	2020	2020		2020	
424		2018	2016			2012		2911		2011	2020	2020		2020	
425		2047	2045			2030					2048	2048		2286	
426		2047	2045			2030					2048	2048			
427		2047	2045			2030					2048	2048		2286	
428		2047	2045			2030		2441			2048	2286			
429		2047	2045			2030		2441			2048	2286			
430		2047	2045			2030		2441			2048	2286			
431		2047	2045			2030		2441			2048	2286			
432		2047	2045			2030		2441			2048	2048			
433		2025	4030			2614				2024	2824	1607			
434		2025	4030			2614				2024	2824	1607			
435		2025	4030			2614				2024	1604	1607			
436		2025	4030			2614				2024	1604	1607			
437		2025	2003			2614		2458		2024	2824	1607		2006	
438		2025	4030			2614		2458		2024	4141	1607		1607	
439		2025	4030			2614		2458		2024	4141	1607		1607	
440		2025	4030			2614		2458		2024	1604	1607		1607	

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS														GRADE	
JEWEL										LEVER					
CENTER	ESCAPE		FOURTH		PALLET				THIRD		CAM	CLUTCH	SETTING		REGULA-TOR ADJUST-ING
LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	CLAMP		UPPER	LOWER					
							UPPER	LOWER							
1606	2023		2023							1607			1722	898	401
1606	2023	1606	2023			1606	1994			2023			1722	898	402
													2044	2044	403
	2286		2286							2286			2044	2044	404
	2286		2286							2286			2044	2044	405
	2020		2020										2439	2015	406
2005	1804	1607	1804			1607	2982			1804			1722	1722	407
	2286		2286							2286			2044	2044	408
													2439	2015	409
	2020		2020							2020			2439	2015	410
	913	913	913		913	913				913				1748	411
2023	913	913	913			913	1994			2023			1996	898	412
													2439	2015	413
													2439	2015	414
	2020		2020							2020			2439	2015	415
	2020		2020							2020			2439	2015	416
													2439	2015	417
													2439	2015	418
	2020		2020							2020			2439	2015	419
	2020		2020							2020			2439	2015	420
															421
															422
2005	2020		2020							2020			2439	2015	423
2005	2020		2020							2020			2439	2015	424
	2286		2286							2286			4028	2954	425
	2286		2286							2286			4028	2954	426
	2286		2286							2286			4028	2954	427
	2286		2286							2286			4429	2954	428
	2286		2286							2286			4429	2954	429
													4429	2954	430
													4429	2954	431
													2044	2044	432
2005	1804	1607	1804			1607	2982			1804			1722	1722	433
2005	1804		1804			1607	2982			1804			1722	1722	434
2005	1804		1804							1804			1722	1722	435
2005	1804		1804							1804			1722	1722	436
2005	1804		1804							1804			1722	1722	437
2005	1804	1607	1804			1607	2982			2049			1603	4034	438
2005	1804		1804			1607	2982			2049			1603	4034	439
2005	1804		1804							2049			1603	4034	440

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS															
	MAIN	MAIN WHEEL SEAT	MEAN TIME	PILLAR	FINION BEVEL SETTING	PLATE TOP	POTANCE	REGU-LATOR ADJUSTING	RING EXTENSION	SHIPPER SETTING	SPRING					
											VIBRATING ARM	CAM	CLICK	DRAG	CLUTCH LEVER	
401	<i>2291</i>					<i>1684</i>									1615	2004
402	<i>2291</i>					<i>1684</i>									1615	2004
403	<i>2052</i>					<i>2030</i>									2046	
404	<i>2032</i>					<i>2030</i>									2046	
405	<i>2032</i>					<i>2030</i>									2046	
406	<i>2010</i>					<i>2012</i>									2021	
407	2618					2614									2004	
408	<i>2032</i>					<i>2030</i>									2046	
409	<i>2010</i>					<i>2012</i>									2021	
410	<i>2010</i>					<i>2012</i>									2021	
411	<i>X63</i>				921 *1612										910	
412	2041					2035									1615	1615
413	<i>2010</i>					<i>2012</i>									2021	
414	<i>2010</i>					<i>2012</i>									2021	
415	<i>2010</i>					<i>2012</i>									2021	
416	<i>2010</i>					<i>2012</i>									2021	
417	<i>2010</i>					<i>2012</i>									2021	
418	<i>2010</i>					<i>2012</i>									2021	
419	<i>2010</i>					<i>2012</i>									2021	
420	<i>2010</i>					<i>2012</i>									2021	
421																
422																
423	<i>2010</i>					<i>2012</i>									2021	
424	<i>2010</i>					<i>2012</i>									2021	
425	<i>2953</i>					<i>2030</i>									2046	
426	<i>2953</i>					<i>2030</i>									2046	
427	<i>2953</i>					<i>2030</i>									2046	
428	<i>2953</i>					<i>2030</i>									2046	
429	<i>2953</i>					<i>2030</i>									2046	
430	<i>2953</i>					<i>2030</i>									2046	
431	<i>2953</i>					<i>2030</i>									2046	
432	<i>2032</i>					<i>2030</i>									2046	
433	4031					2614									2004	
434	4031					2614									2004	
435	4031					2614									2004	
436	4031					2614									2004	
437	2618					2614									2004	
438	4031					2614									2004	
439	4031					2614									2004	
440	4031					2614									2004	

*1612 used under cock.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS											SEAT MAIN WHEEL	SHIPPER SETTING	SLEEVES		GRADE
SPRING			STOP		STUD HAIR SPRING	WHEEL				ARBOR WIND- ING			SUB- CENTER		
REGU- LATOR	SETTING	SETTING LEVER	SETTING CAM	LEVER		INTER- WIND- ING	INTER- SET- TING	MINUTE	RATCHET					SETTING	
		1603			<i>934</i>										401
		1603			<i>934</i>										402
	2047				<i>2448</i>					<i>2033</i>			2657		403
	2047				<i>2448</i>					<i>2033</i>			1915		404
	2047				<i>2448</i>					<i>2033</i>			1915		405
	2014				<i>1621</i>					<i>2613</i>			1914		406
	2001				<i>2832</i>					<i>2619</i>			2770		407
	2047				<i>2448</i>					<i>2033</i>			2657		408
	2014				<i>1621</i>					<i>2613</i>			1914		409
	2014				<i>1621</i>					<i>2613</i>			1914		410
	928				<i>934</i>										411
		1603			<i>934</i>										412
	2014				<i>1621</i>					<i>2613</i>			4019		413
	2014				<i>1621</i>					<i>2613</i>			4019		414
	2014				<i>1621</i>					<i>2613</i>			4019		415
	2014				<i>1621</i>					<i>2613</i>			4019		416
	2014				<i>1621</i>					<i>2613</i>			4019		417
	2014				<i>1621</i>					<i>2613</i>			4019		418
	2014				<i>1621</i>					<i>2613</i>			4019		419
	2014				<i>1621</i>					<i>2613</i>			4019		420
															421
															422
	2014				<i>1621</i>					<i>2613</i>			4019		423
	2014				<i>1621</i>					<i>2613</i>			4019		424
					<i>2948</i>					<i>2033</i>					425
					<i>2948</i>					<i>2033</i>					426
					<i>2948</i>					<i>2033</i>					427
					<i>2948</i>					<i>2033</i>					428
					<i>2948</i>					<i>2033</i>					429
					<i>2948</i>					<i>2033</i>					430
					<i>2948</i>					<i>2033</i>					431
	2047				<i>2448</i>					<i>2033</i>			2657		432
	2001		4033		<i>4029</i>					<i>4032</i>			2770		433
	2001		4033		<i>4029</i>					<i>4032</i>			2770		434
	2001		4033		<i>4029</i>					<i>4032</i>			2770		435
	2001		4033		<i>4029</i>					<i>4032</i>			2770		436
	2001				<i>2832</i>					<i>2619</i>			2770		437
		1603			<i>4029</i>					<i>4140</i>					438
		1603			<i>4029</i>					<i>4140</i>					439
		1603			<i>4029</i>					<i>4140</i>					440

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SPRINGS											STAFF			STOP
	ARM VIBRATING	CAM	CLICK	HAIR		LEVER		MAIN		REGULATOR	SETTING	★BALANCE	CENTER	SUB CENTER	WINDING ARBOR SLEEVES
				NUMBER	STR'GTH	CLUTCH	SETTING	NUMBER	STR'GTH						
401			1896	X796	2	2152	2797	<i>2548</i>	.0075	2658		<i>2532-C.</i>	1482		
402			1896	X796	2	2152	2797	2542	.00725	2658		<i>2532-C.</i>	1482		
403			1899	2694	2			<i>2890</i>	.00475		1911	<i>2661</i>	2809		
404			1899	1960	2			<i>1957</i>	.00475		1911	<i>2661</i>			
405			1899	1960	1			<i>1957</i>	.0045		1911	<i>2661-C.</i>			
406			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
407			1897	2801	2			2874	.00725		2772	4006	2774		
408			1899	2694	2			<i>2890</i>	.0045		1911	<i>2661</i>	2809		
409			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
410			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
411			<i>2555</i>	X791	2			X812	.0085		<i>X189</i>	<i>2661</i>	2357		
412			1896	1938	1	1894	1900	<i>1958</i>	.007	2658		<i>1901-C.</i>			
413			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
414			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
415			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
416			1898	X807	3			<i>2097</i>	.00575		1910	<i>2661</i>	2946		
417			1898	2963	2			<i>2097</i>	.0055		1910	<i>2661</i>	2056		
418			1898	2963	2			<i>2097</i>	.0055		1910	<i>2661</i>	2056		
419			1898	2963	2			<i>2097</i>	.0055		1910	<i>2661</i>	2056		
420			1898	2963	2			<i>2097</i>	.0055		1910	<i>2661</i>	2056		
421															
422															
423			1898	2963	1			2097	.00525		1910	<i>2661-C.</i>	2946		
424			1898	2963	1			2097	.00525		1910	<i>2661-C.</i>	2946		
425			1899	2989	1			1957	.00425			<i>4136-C.</i>			
426			1899	2989	2			<i>1957</i>	.0045			<i>4136</i>			
427			1899	2989	1			1957	.00425			<i>4136-C.</i>			
428			1899	4129	2			<i>2890</i>	.0045			<i>4136</i>	4530		
429			1899	4129	2			<i>2890</i>	.0045			<i>4136</i>	4530		
430			1899	4129	2			<i>2890</i>	.0045			<i>4136</i>	4530		
431			1899	4129	2			<i>2890</i>	.0045			<i>4136</i>	4530		
432			1899	2694	2			<i>2890</i>	.00475		1911	<i>2661</i>	2809		
433			1897	2993	1			2874	.00725		4337	<i>4191-C.</i>	4192		
434			1897	2993	1			<i>2874</i>	.0075		4337	<i>4191-C.</i>	4192		
435			1897	2993	2			<i>2874</i>	.0075		4337	<i>4177</i>	4192		
436			1897	2993	2			<i>2874</i>	.0075		4337	<i>4177</i>	4192		
437			1897	2801	2			<i>2874</i>	.0075		2772	2773	2774		
438			1897	2993	1		4190	2874	.00725			<i>4191-C.</i>	4192		
439			1897	2993	1		4190	2874	.00725			<i>4191-C.</i>	4192		
440			1897	2993	2		4190	<i>2874</i>	.0075			<i>4177</i>	4192		

★See notes on Balance Staffs in Special Information Section.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

STOP WORKS		STUDS			WASHERS							WHEELS			GRADE
MALE	FEMALE	HAIR SPRING	MAIN WHEEL	MEAN TIME	ARBOR	CENTER PINION	MAIN SCREW	MAIN SCREW FINISH	STAFF CENTER	WHEEL RATCHET	WHEEL RATCHET FINISH	CENTER	CENTER COM- PLETE	★ ESCAPE	
		1480		2791			1484	C.	1554			1487	2811	2168	401
		1480		2791			1484	C.	1554			1487	2811	2168	402
		1903					1922	A-9	2808			2810	2815	1955	403
		1903					1922	C.				1929	2814	1955	404
		1903					1922	A-5		1925	A-5	1929-G.	2813-G.	1955-S.	405
		853					1921	A-9	1556			1918	2960	993	406
		2775					2776	B-5	1555	2778	B.	1927	4360	2781	407
		1903					1922	A-9	2808			2810	2816	1955	408
		853					1921	G.	1556			1918	2960	993	409
		853					1921	A-9	1556			1918	2960	993	410
		X843					X134		1553			2296	2157	2168	411
		1916		2790		1923	1919	C.				1926	1972	2168	412
		853					1921	G.	1556			1918	2960	993	413
		853					1921	G.	1556			1918	2960	993	414
		853					1921	A-9	1556			1918	2960	993	415
		853					1921	A-9	1556			1918	2960	993	416
		4020					1921	G.	1556			1918	2082	993	417
		4020					1921	G.	1556			1918	2082	993	418
		4020					1921	A-9	1556			1918	2082	993	419
		4020					1921	A-9	1556			1918	2082	993	420
															421
															422
		4020					1921	C.	1556	2057	C.	1928-G.	4365	993-S.	423
		4020					1921	C.	1556	2057	C.	1928-G.	4365	993-S.	424
		4151					4128	A-5		1925	A-5	1929-G.	4139	1955-S.	425
		4151					4128	C.				1929	4150	1955	426
		4151					4128	A-5		1925	A-5	1929-G.	4139	1955-S.	427
		4167					4128	A-9	2808			2810	4533	1955	428
		4167					4128	A-9	2808			2810	4533	1955	429
		4167					4128	A-9	2808			2810	4534	1955	430
		4167					4128	A-9	2808			2810	4534	1955	431
		1903					1922	A-9	2808			2810	2815	1955	432
		4303					4193	C.	1555	4341	C.	1927-G.	4194	2781	433
		4303					4193	C.	1555	4341	C.	1927-G.	4194	2781	434
		4303					4193	B-5	1555	4341	B.	1927	4195	2781	435
		4303					4193	C.	1555	4341	C.	1927	4195	2781	436
		2775					2776	B-5	1555	2778	B.	1927	4360	1490-S.	437
		4303					4193	C.	1555			1927-G.	4194	2781	438
		4303					4193	B-5	1555			1927-G.	4194	1490-S.	439
		4303					4193	B-5	1555			1927	4195	1490-S.	440

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	★ ESCAPE AND PINION	FIRST	FIRST COMPLETE	FOURTH	FOURTH AND PINION	HOUR	INTERMEDIATE		MAIN		MINUTE	RATCHET		RING	SETTING
							SETTING	WINDING	NUMBER	FINISH		NUMBER	FINISH		
401	1493-S.	2715	1019	X657	1496	1498	A-4	1499	2725	A-18
402	1494	2715	1019	X657	1496	1498	A-19	1499	2725	A-19
403	2069	1931	2118	2820	2720	2724	A-14	1947	4350	A-15	1954
404	2069	1931	2118	2820	1944	C-2	1947	1952	C-4	1954
405	2069-S.	1931	2118	2820	1944	A	1947	1952	A	1954
406	1979	1021	1986	2961	1943	A-14	1063	2058	A-15	1940
407	2818	2785	4378	2787	2799	A-5	2800	2804	A-5	2805
408	2069	1931	2118	2820	2720	2724	A-14	1947	2727 *4350	A-15 A-15	1954
409	1979	1021	1987	2961	1943	A-22	1063	2058	A-21	1940
410	1979	1021	1987	2961	1943	A-14	1063	2058	A-15	1940
411	2337	1008	1024	X186	4415	X175	X187	4413	4155
412	1976	1932	2081	1983	1935	1941	A-19	1945	1950	A-19	1939
413	1979	1021	1986	2961	1943	A-22	1063	2058	A-21	1940
414	1979	1021	1987	2961	1943	A-22	1063	2058	A-21	1940
415	1979	1021	1986	2961	1943	A-14	1063	2058	A-15	1940
416	1979	1021	1987	2961	1943	A-14	1063	2058	A-15	1940
417	1979	1021	1986	1045	4021	A-22	1063	2058	A-21	4022
418	1979	1021	1987	1045	4021	A-22	1063	2058	A-21	4022
419	1979	1021	1986	1045	4021	A-14	1063	2058	A-15	4022
420	1979	1021	1987	1045	4021	A-14	1063	2058	A-15	4022
421
422
423	1979-S.	2178	4381	2961	4021	A-4	1063	2058	A-18	4022
424	1979-S.	2178	4382	2961	4021	A-4	1063	2058	A-18	4022
425	2069-S.	1931	2118	4137	4128	A	1947	2638	A	1954
426	2069	1931	2118	4137	4128	C-2	1947	2638 †4138	C-4 C-4	1954
427	2069-S.	1931	2118	4137	4128	A	1947	2638 4138	A A	1954
428	2069	1931	4172	4532	2720 ▲4672	4168	A-14	1947	4169	A-15	1954 ▲4408
429	2069	1931	4172	4532	2720 †4672	4168	A-14	1947	4169	A-15	1954 †4408
430	2069	1931	4172	4532	2720 ●4672	4168	A-14	1947	4169	A-15	1954 ●4408
431	2069	1931	4172	4532	2720 **4672	4168	A-14	1947	4169	A-15	1954 **4408
432	2069	1931	2118	2820	2720	2724	A-14	1947	2727 †4350	A-15 A-15	1954
433	4196	2785	2786	4343	2799	A-23	2800	2804	A-23	2805
434	4197	2785	2786	4343	2799	A-23	2800	2804	A-23	2805
435	4197	2785	4378	4343	2799	A-23	2800	2804	A-24	2805
436	4197	2785	4378	4343	2799	C-6	2800	2804	C-5	2805
437	4197	2785	4378	2787	2799	A-5	2800	2804	A-5	2805
438	4196	2785	4198	4200	2799	A-23	2800	4301	A-23	2805
439	4197	2785	4198	4200	2799	A-23	2800	4301	A-24	2805
440	4197	2785	4199	4200	2799	A-23	2800	4301	A-24	2805

†4138 began with Serial Number 1926601.
 2727 Ratchet Wheel has D Hole.
 4350 Ratchet Wheel has Square Hole.
 2638 Ratchet Wheel has D Hole.
 4138 Ratchet Wheel has Square Hole.
 **4672 began with Serial Number 22156001.
 †4350 began with Serial Number 19356601.
 *4350 began with Serial Number 19201101.

■4408 began with Serial Number 21673031.
 ▲(4672) began with Serial Number 22536001.
 †(4672) began with Serial Number 22068001.
 ●(4672) began with Serial Number 22153001.

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

WHEELS																				GRADE		
SUB CENTER	SUB CENTER COM- PLETE	SWEEP SECOND	THIRD	THIRD AND PINION																		
			1086	2340																	401	
			1086	2340																		402
			1949	2124																		403
			1949	2124																		404
			1949	2124																		405
			1088	1991																		406
			2806	4302																		407
			1949	2124																		408
			1088	1992																		409
			1088	1992																		410
			1077	1091																		411
			1948	1988																		412
			1088	1991																		413
			1088	1992																		414
			1088	1991																		415
			1088	1992																		416
			1088	1991																		417
			1088	1992																		418
			1088	1991																		419
			1088	1992																		420
																						421
																						422
			2173	4747																		423
			2173	4748																		424
			1949	2124																		425
			1949	2124																		426
			1949	2124																		427
			1949	2124																		428
			1949	2124																		429
			1949	2124																		430
			1949	2124																		431
			1949	2124																		432
			2806	2807																		433
			2806	2807																		434
			2806	4302																		435
			2806	4302																		436
			2806	4302																		437
			2806	2807																		438
			2806	2807																		439
			2806	4302																		440

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.