

GRADE	ARBORS					ARM VIBRATING	BALANCE	BALANCE COMPLETE	BAND DUST	BAR SETTING	BARREL	BARREL HUB & SCREW	BUSHINGS		CAMS
	BARREL	PALLET	SETTING	SWEEP SECOND	WINDING								BARREL ARBOR	CENTER STAFF	SETTING
441	4178	2733			4353		2735	4409			2737				
442	2053	2312			1775		2952	4117			2132				1787
443	2053	2312			1775		2952	4117			2132				1787
444	4152	2550			4210		1781	4396			4319				
445	4152	2550			4210		1781	4396			4319				
446	4312	4314			4354		4664-G.	4743			4318				
447	4152	2550			4210		1781	4396			4319				
448	4313	4014			4352		2735-G.	4744			4317				
449	4313	2733			4352		2735	4409			4317				
450	4313	4014			4353		2735-G.	4744			4317-N.				
451	4313	4014			4353		2735-G.	4744			4317				
452	4313	2733			4333		2735	4409			4317				
453	2549	1304			2052		X242-G.	4077	2554		2558	2564			
454	1301	1304			2052		X242-G.	4077	2554		4316				
455	1301	1304			2052		X242-G.	4077	2554		4316				
456															
457															
458															
459															
460															
461															
462	2053	2312			1775		2952	4117			2132				1787
463	2053	2312			1775		2952	4117			2132				1787
464	2053	2312			1775		2952	4117			2132				1787
465	2053	2312			1775		2952	4117			2132				1787
466	1301	2309			2052		X242	4080			X275				
467	2053	2312			1775		2952	4117			2132				1787
468	2053	2312			1775		2952	4117			2132				1787
469															
470															
471	4440	2309			*		X242	4081			4442				
472	4643	1304			2052		4587-G.	4723			4316				
473	4647	2550			4648		1781	4396			4319				
474	1301	2309			1773		X242	4081			X275				1313
475	1301	2309			1773		X242	4081			X275				1313
476	1715	2310			1774		1780	4094			2177				1719
477	1715	2310			1774		1780	4094			2177				1719
478	4643	1304			2052		4588-G.	4724			4316				
479	4313	2733			4353		2735	4409			4317				
480	1301	2309			1773		X242	4081			X275				1313

*14 Lengths—send sample.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

CAMS	CAPS		CLAMPS								CLICK	CLICK FINISH	CLUTCHES		GRADE
	SETTING SPRING	ARBOR	RATCHET	BALANCE CAP UPPER	BALANCE CAP LOWER	CASE	MINUTE WHEEL	RATCHET	RATCHET WHEEL	RATCHET WHEEL FINISH			SETTING WHEEL	SETTING	
						4180					4180	2742	A-5	2741	441
2916						2672					2672	1804	G-1	1809	442
2916						2672					2672	1804	G-1	1809	443
						4668					4668	4132	C-3	4121	444
						4668					4668	4132	A-5	4121	445
				4637	4430	4320					4320	4321	A-23	4322	446
						4668					4668	4132	A-17	4121	447
					4430	4180					4180	2742	A-5	2741	448
					4430	4180					4180	2742	A-5	2741	449
						4180					4180	2742	A-23	2741	450
						4180					4180	2742	A-5	2741	451
						4180					4180	2742	A-5	2741	452
						1315		2568	B			1802	A-5	1807	453
						1315						1802	A-5	1807	454
						1315						1802	A-5	1807	455
															456
															457
															458
															459
															460
															461
2916						2923					2923	1804	G-1	1809	462
2916						2923					2923	1804	G-1	1809	463
2916						2923					2923	1804	A-17	1809	464
2916						2923					2923	1804	A-17	1809	465
						1315						1802	A-5	1807	466
2916						2672					2672	1804	G-1	1809	467
2916						2672					2672	1804	G-1	1809	468
															469
															470
												4443		4444	471
						1315						1802	A-5	1807	472
					4692	4649					4649	4650		4121	473
1314						1315						1802	A-6	1807	474
1314						1315						1802	A-6	1807	475
1789						4667						1803	A-6	1808	476
1789						4667						1803	A-6	1808	477
						1315						1802	A-5	1807	478
						4180					4180	2742	C-3	2741	479
1314						1315						1802	G-1	1807	480

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	COLLETS		CUPS		DIAL	FORK	HANDS		HUBS		INDEX	JEWELS			
	BARREL ARBOR	HAIR SPRING	ARBOR	CENTER			HOUR AND MINUTE	SECOND	BARREL	BARREL ARBOR		BALANCE			
												HOLE		CAP	
												UPPER	LOWER	UPPER	LOWER
441		2743			*12 ^s		12x16 ^s	12x16 ^s		2745	2746	4806	4806	2193	X466
442		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
443		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
444		2139			10/0 ^s		10/0 ^s	10/0 ^s				2189	2189	2196	2190
445		2139			10/0 ^s		10/0 ^s	10/0 ^s				2189	2189	2196	2190
446		4355			12-C.H.H.		4580	4581		4323		4764	4770	4756	4637
447		2139			10/0 ^s		10/0 ^s	10/0 ^s				2189	2189	2196	2190
448		2743			D 187		4414	4183			2746	4806	4806	X467	X466
449		2743			D 195		4414	4183			2746	4806	4806	2193	X466
450		2743			*12 ^s		12x16 ^s	12x16 ^s			2746	2926	2926	2839	X466
451		2743			*12 ^s		12x16 ^s	12x16 ^s			2746	2926	2926	X467	X466
452		2743			*12 ^s		12x16 ^s	12x16 ^s			2746	4806	4806	2193	X466
453		1318			16 ^s	2574	16 ^s	16 ^s	2575	2576	2577	2086	2086	2582	1350
454		1318			16 ^s	2574	16 ^s	16 ^s			2577	2086	2086	1349	1350
455		1318			16 ^s	2574	16 ^s	16 ^s			2577	2086	2086	1349	1350
456															
457															
458															
459															
460															
461															
462		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
463		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
464		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	X455	X455	2194	1356
465		X359			3/0 ^s		3/0 ^s	3/0 ^s			1825	X455	X455	2194	1356
466		1318			16 ^s		16 ^s	16 ^s			4356	X447	X447	2192	1350
467		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
468		X359			3/0 ^s		3/0 ^s	3/0 ^s				X455	X455	2194	1356
469															
470															
471		1318			37 ^s		37 ^s	37 ^s				X447	X447	2192	1350
472		1318			16 ^s	2574	16 ^s	16 ^s				2086	2086	1349	1350
473		2139			16/0 ^s		16/0 ^s	16/0 ^s				2189	2189	2196	2190
474		1318			16 ^s		16 ^s	16 ^s			4356	X447	X447	2192	1350
475		1318			16 ^s		16 ^s	16 ^s			4356	X447	X447	2192	1350
476		2572			12 ^s		12 ^s	12 ^s			1824	X453	4806	2193	X466
477		2572			12 ^s		12 ^s	12 ^s			1824	X453	4806	2193	X466
478		1318			16 ^s	2574	16 ^s	16 ^s				2086	2086	1349	1350
479		2743			*12 ^s		12x16 ^s	12x16 ^s			2746	4806	4806	2193	X466
480		1318			16 ^s -Auto		16 ^s -Auto	16 ^s -Auto				X447	X447	2192	1350

*Streamline

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

JEWELS															GRADE
BARREL ARBOR		SWEEP SECOND ARBOR	CENTER		ESCAPE				FOURTH		PALLET				
UPPER	LOWER		UPPER	LOWER	HOLE		CAP		UPPER	LOWER	HOLE		CAP		
					UPPER	LOWER	UPPER	LOWER			UPPER	LOWER	UPPER	LOWER	
			2213	2207	1368	1382			1390	1405	2267	2426			441
															442
															443
					2232	2938			2245	2930	2937	2943			444
			2217	2208	2231	2939			2244	2931	2937	2944			445
			4759	4765	4762	4768	4638	4771	4761	4767	4763	4769			446
															447
			2212	2207	1370	X490			1392	X514	4402	2250	4403	2202	448
			2213	2207	1368	1382			1390	1405	2267	2426			449
			2212	2207	2228	2182	2199	1362	1392	X514	4402	2250	4404	2202	450
			2212	2207	1370	X490			1392	X514	4402	2250	4404	2202	451
			2213	2207	1368	1382			1390	1405	2267	2426			452
2586	2587		1336	1343	2228	2182	2199	1362	1392	2234	2093	2250	2203	2202	453
			1336	1343	2228	2182	2199	1362	1392	2234	2093	2250	2203	2202	454
			1336	1343	1370	2220			1392	2234	2093	2250	2203	2202	455
															456
															457
															458
															459
															460
															461
															462
															463
					1378	1384			1400	1406	2267	2254			464
					1378	1384			1400	1406	2267	2254			465
			2209	1343	1368	2221			1390	2235	2263	2426			466
															467
															468
															469
															470
															471
			1336	1343	1371	2182	2199	1362	1392	2234	2093	2250	2203	2202	472
			4775	4776	4727	2938			2245	2930	2937	2943			473
			2209	1343	1368	2221			1390	2235	2263	2426			474
			2209	1343	1368	2221			1390	2235	2263	2426			475
			2213	2207	1368	2221			1390	2235	2267	2252			476
			2213	2207	1368	2221			1390	2235	2267	2252			477
			1336	1343	1371	2182	2199	1362	1392	2234	2093	2250	2203	2202	478
			2213	2207	1368	1382			1390	1405	2267	2426			479
															480

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	JEWELS				LEVERS				NUTS				PALLETS		
	THIRD		★ ROLLER JEWEL	■ PALLET STONE	CAM	CLUTCH	REGU- LATOR ADJUST- ING	SETTING	CENTER		MEAN TIME	REGU- LATOR	REGULA- TOR NUT AND SCREW	WITH STONES	AND FORK WITH STONES
	UPPER	LOWER							PINION	WHEEL					
441	1425	X538	X570-C.	X556-G.		4184	4185				1548	2753		2865	
442			X571-C.	X558-G.		1828	1833							2681	
443			X571-C.	X558-G.		1828	1833							2681	
444	2281	2933	2150-C.	2151-G.		4122 ‡4427	4722							2683	
445	2280	2932	2150-C.	2151-G.		4122 ‡427	4123							2683	
446	4760	4766	2671-D.	X558-S.		4357	4772 *4773	4324			4774 *4665			4325	
447			2150-C.	2151-G.		4122 ‡4427	4722							2683	
448	1427	1436	2670-D.	X556-S.		4184	4185				1548	2753		2679	
449	1425	X538	X570-C.	X556-G.		4184	4185				1548	2753		2865	
450	1427	1436	2670-D.	X556-S.		4184 *4428	4185				1548	2753		2974	
451	1427	1436	2670-D.	X556-S.		4184 ‡4428	4185				1548	2753		2974	
452	1425	X538	X570-C.	X556-G.		4184 ‡4428	4185				1548	2753		2865	
453	1427	2270	2075-D.	X546-S.		2154	2155			2793	1446	1447	2675	2978	
454	1427	2270	2075-D.	X546-S.		2154	2155			2793	1446	1447	2675	2978	
455	1427	2270	2075-D.	X546-S.		2154	2155			2793	1446	1447	2675	2978	
456															
457															
458															
459															
460															
461															
462			X571-C.	X558-G.		1828	1833							2681	
463			X571-C.	X558-G.		1828	1833							2681	
464	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
465	1433	1439	X571-C.	X558-G.		1828	1833				1549	1551		2681	
466	1425	2271	X559-C.	X546-G.		2154	2155				1446	1447		2891	
467			X571-C.	X558-G.		1828	1833							2681	
468			X571-C.	X558-G.		1828	1833							2681	
469															
470															
471			X559-C.	X546-G.		4447 *4566	4527 *4678							2891	
472	1427	2270	2075-D.	X546-S.		2154	2155				4586		2675	2978	
473	2281	2933	2150-C.	2151-G.		4651	4652							2683	
474	1425	2271	X559-C.	X546-G.		1441	1443				1446	1447		2891	
475	1425	2271	X559-C.	X546-G.		1441	1443				1446	1447		2891	
476	1425	2271	X570-C.	X556-G.		1827	1832				1548	1550		2865	
477	1425	2271	X570-C.	X556-G.		1827	1832				1548	1550		2865	
478	1427	2270	2075-D.	X546-S.		2154	2155				4586		2675	2978	
479	1425	X538	X570-C.	X556-G.		4428	4185				1548	2753		2865	
480			X559-C.	X546-G.		1441	1443							2891	

*{4566 } began with Serial Number 25593001.
 †4678 }
 ‡4427 began with Serial Number 23032001.
 †4773 used on top of cock.
 *4665 began with Serial Number 19999901.
 ‡4427 began with Serial Number 23120001.
 *4428 began with Serial Number 24138001.
 ‡4428 began with Serial Number 24296001.
 ‡4428 began with Serial Number 23800001.

On Roller Jewel:
 D. = Double Roller.
 C. = Combination Roller.

★There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

■Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

PALLET	PINIONS										PINS		PIVOT	RATCHET	GRADE
	FORK AND ARBOR WITH STONES	BEVEL	BEVEL SETTING	CANNON	CENTER	ESCAPE	FOURTH	SETTING	SUB CENTER	SWEEP SECOND	THIRD	BEVEL PINION	SETTING		
4306	4186		4187	2761	2762	4188				2763					441
2690	4017		<i>X650</i>	2055	1868	1873				1880					442
2690	4017		<i>X650</i>	2055	1868	1874				1880					443
2691	4124		<i>4133</i> <i>*4654</i>	<i>4134</i> <i>*4655</i>	1869	2109				1881					444
2691	4124		<i>4133</i>	4134	1869	2109				1881					445
4370	4326		4187	4328	4329	4309				4310					446
2691	4124		<i>4133</i> <i>†4654</i>	<i>4134</i> <i>†4655</i>	1869	2109				1881					447
4305	4186		4187	2761	2762	4188				2763					448
4306	4186		4187	2761	2762	4188				2763					449
4304	4186		<i>4187</i> <i>*2760</i>	2761	2867	4188				2763					450
4305	4186		<i>4187</i> <i>†2760</i>	2761	2762	4188				2763					451
4306	4186		<i>4187</i> <i>*2760</i>	2761	2762	4188				2763					452
2967	4392		<i>1457</i>	2599	1462	X691				X703					453
2967	4392		<i>1457</i>	2599	1462	X691				X703					454
2967	4392		<i>1457</i>	2599	1461	X691				X703					455
															456
															457
															458
															459
															460
															461
2690	4327		<i>X650</i>	2055	1868	1873				1880					462
2690	4327		<i>X650</i>	2055	1868	1874				1880					463
2690	4327		<i>X650</i>	2055	1868	1873				1880					464
2690	4327		<i>X650</i>	2055	1868	1874				1880					465
2884	4392		<i>1457</i>	X660	1461	X691				X703					466
2690	4327		<i>X650</i>	2055	1868	1873				1880					467
2690	4327		<i>X650</i>	2055	1868	1874				1880					468
															469
															470
2884	4440	4438	<i>4450</i> <i>**4568</i>	<i>4458</i> <i>**4529</i>	1865	1870	4453	4451		4452					471
2967	4392		<i>1457</i>	2599	1462	X691				X703					472
2691	4653		<i>4654</i>	4655	1869	2109				1881					473
2884	4392		<i>1457</i>	X660	1461	X659				X700					474
2884	4392		<i>1457</i>	X660	1461	X691				X703					475
2803	1852		<i>1858</i>	1717	1867	1871				1878					476
2803	1852		<i>1858</i>	1717	1867	1872				1878					477
2967	4392		<i>1457</i>	2599	1462	X691				X703					478
4306	4186		2760	2761	2762	4188				2763					479
2884	4392		<i>1457</i>	X660	1461	X691				X703					480

*{4654}
4655 } began with Serial Number 26609001.
†4654
4655 } began with Serial Number 26804001.
*2760 began with Serial Number 26519501.
†2760 began with Serial Number 27284001.
*2760 began with Serial Number 26716001.
**{4568}
4529 } began with Serial Number 20915001.

Two different forms of Pallets have been used, the difference being the thickness of Jewel or Stone required; those taking thin ones being known as New Style. In filling orders, unless Old Style is mentioned, the New Style will be sent.

GRADE	RING FRICTION	REGU-LATOR	★ROLLERS					SCREWS							
			COMBINATION		SAFETY	TABLE		ARM VIBRATING	BALANCE	BANKING	BAR SETTING	BRIDGE			
			WITHOUT PIN	WITH PIN		WITHOUT PIN	WITH PIN					ARBOR SWEEP SECOND	BARREL	BEVEL PINION	CENTER
441		4189	2869	2872					2728	2616			2614		
442		4331	2652	2698					2728	2833			2012		
443		4331	2652	2698					2728	2833			2012		
444		4135	2653	2699					2729	2027			2030		
445		4135	2653	2699					2729	2027			2030		
446		4330			4362	4367	4671		4642	4043			4697		
447		4333	2653	2699					2729	2027			2030		
448		4189			2650	2654	2700		2284	2616			2614		
449		4189	2869	2872					2728	2616			2614		
450		4388			2650	2654	2700		2284	2616			2614		
451		4189			2650	2654	2700		2284	2616			2614		
452		4189	2869	2872					2728	2616			2614		
453		2645			1888	1884	2382		886	2302			1584		
454		2645			1888	1884	2382		886	2302			1584		
455		2645			1888	1884	2382		886	2302			1584		
456															
457															
458															
459															
460															
461															
462		4331	2652	2698					2728	2837			2012		
463		4331	2652	2698					2728	2837			2012		
464		4018	2652	2698					2728	2837			2012		
465		4018	2652	2698					2728	2837			2012		
466		2646	2868	2870					1568	2302			1584		
467		4331	2652	2698					2728	2833			2012		
468		4331	2652	2698					2728	2833			2012		
469															
470															
471		1467	2868	2870					1568	2306			4148-L. 4144-S.		
472		4584			1888	1884	2382		4509	2302			1584		
473		4332	2653	2699					2729	2027			4539		4539
474		2646	2868	2870					1568	2302			1584		
475		2646	2868	2870					1568	2302			1584		
476		1961	2869	2872					1997	2837			1999		
477		1961	2869	2872					1997	2837			1999		
478		4584			1888	1884	2382		4509	2302			1584		
479		4189	2869	2872					2728	2616			2614		
480		1467	2868	2870					1568	2302			1584		

L. = Long.
S. = Short.

*There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS

PALLET	BRIDGE		CAM SETTING	CAM SETTING SPRING	CAP ARBOR	CAP BRIDGE	CAP RATCHET	CASE	CLAMP					GRADE	
	WINDING								BALANCE JEWEL		CASE	MINUTE WHEEL	PALLET JEWEL		RATCHET
	LONG	SHORT							UPPER	LOWER					
2000								<i>2630</i>				<i>2023</i>			441
2013				2014				<i>2957</i>				2018			442
2013				2014				<i>2957</i>				2018			443
2031								<i>2029</i>				2047			444
2031								<i>2029</i>				2047			445
1603											4430	926			446
2031								<i>2029</i>				2047			447
2000											4430	<i>2023</i>			448
2000											4430	<i>2023</i>			449
2000								<i>2630</i>				<i>2023</i>			450
2000								<i>2630</i>				<i>2023</i>			451
2000								<i>2630</i>				<i>2023</i>			452
894								<i>1591</i>				926			453
894								<i>1591</i>				926			454
894								<i>1591</i>				926			455
															456
															457
															458
															459
															460
															461
2013				2014				<i>2957</i>				2018			462
2013				2014				<i>2957</i>				2018			463
2013				2014				<i>2957</i>				2018			464
2013				2014				<i>2957</i>				2018			465
894								<i>1591</i>				926			466
2013				2014				<i>2957</i>				2018			467
2013				2014				<i>2957</i>				2018			468
															469
															470
894	4148							4143							471
894								<i>1591</i>				926			472
2031	2621										<i>4892</i>	2047			473
894				1599				<i>1591</i>				926			474
894				1599				<i>1591</i>				926			475
2000				2002				<i>1998</i>				<i>2023</i>			476
2000				2002				<i>1998</i>				<i>2023</i>			477
894								<i>1591</i>				926			478
2000								<i>2630</i>				<i>2023</i>			479
894				1599				<i>1591</i>				926			480

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS														
	CLAMP		CLICK	CLUTCH SETTING	CUP ARBOR	COCK		DIAL	DIAL FOOT	HUB BARREL	INDEX	JEWEL			
	HATCHET WHEEL	SETTING WHEEL				BAL-ANCE	ESCAPE					BALANCE		BARREL LOWER	CENTER UPPER
			UPPER	LOWER											
441		<i>2023</i>	4030			2614			<i>2438</i>		2024	1604	1607		1607
442		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
443		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
444		2047	2045			<i>2030</i>			<i>2441</i>			<i>2048</i>	<i>2286</i>		
445		2047	2045			<i>2030</i>			<i>2441</i>			<i>2048</i>	<i>2286</i>		<i>2286</i>
446			4037			4697						4141	4045		
447		2047	2045			<i>2030</i>			<i>2441</i>			<i>2048</i>	<i>2286</i>		
448		<i>2023</i>	4030			2614			<i>2438</i>		2024	1604	1607		1607
449		<i>2023</i>	4030			2614			<i>2438</i>		2024	1604	1607		1607
450		<i>2023</i>	4030			2614			<i>2438</i>		2024	4141	2950		1607
451		<i>2023</i>	4030			2614			<i>2438</i>		2024	<i>2049</i>	2950		1607
452		<i>2023</i>	4030			2614			<i>2438</i>		2024	<i>2049</i>	2950		1607
453	2621		2292			<i>1584</i>			<i>2438</i>	2730	1603	2293	<i>2023</i>	<i>2023</i>	1617
454			2292			<i>1584</i>			<i>2438</i>		1603	<i>2023</i>	<i>2023</i>		1617
455			2292			<i>1584</i>			<i>2438</i>		1603	<i>2023</i>	<i>2023</i>		1617
456															
457															
458															
459															
460															
461															
462		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
463		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
464		2018	2016			<i>2012</i>			2911		2011	<i>2020</i>	<i>2020</i>		
465		2018	2016			<i>2012</i>			2911		2011	<i>2020</i>	<i>2020</i>		
466			2292			<i>1584</i>			<i>2438</i>		1603	<i>2023</i>	<i>2023</i>		<i>1608</i>
467		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
468		2018	2016			<i>2012</i>			2911			<i>2020</i>	<i>2020</i>		
469															
470															
471			1601			4147			4145			<i>2023</i>	<i>2023</i>		
472			2292			<i>1584</i>			<i>2438</i>			<i>2023</i>	<i>2023</i>		1617
473		2047	2045			<i>4539</i>	<i>4539</i>		<i>2441</i>			<i>2048</i>	<i>2286</i>		<i>2286</i>
474			2292			<i>1584</i>			<i>2438</i>		1603	<i>2023</i>	<i>2023</i>		<i>1608</i>
475			2292			<i>1584</i>			<i>2438</i>		1603	<i>2023</i>	<i>2023</i>		<i>1608</i>
476			2003			<i>1999</i>			<i>2438</i>		2024	<i>2049</i>	2006		<i>2005</i>
477			2003			<i>1999</i>			<i>2438</i>		2024	<i>2049</i>	2006		<i>2005</i>
478			2292			<i>1584</i>			<i>2438</i>			<i>2023</i>	<i>2023</i>		1617
479		<i>2023</i>	4030			2614			<i>2438</i>		2024	<i>2049</i>	2950		1607
480			1601			<i>1584</i>			<i>2438</i>			<i>2023</i>	<i>2023</i>		

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS

CENTER	JEWEL										LEVER				GRADE
	ESCAPE		FOURTH		PALLET				THIRD		CAM	CLUTCH	SETTING	REGULA-TOR ADJUST-ING	
	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	CLAMP		UPPER	LOWER					
							UPPER	LOWER							
2005	1604		1604						2049			1603	4034	441	
											2439	2015	442		
											2439	2015	443		
	2286		2286						2286		4429	2954	444		
	2286		2286						2286		4429	2954	445		
2005	4040	2982		2982						2982	1603	4039	4041	446	
											4429	2954	447		
2005	1604		1604			1607	2982		2049		1603	4034	448		
2005	1604		1604						2049		1603	4034	449		
2005	2049	2950	2049			2950	2617		2049		1603	4034	450		
2005	2049		2049			2950	2617		2049		1603	4034	451		
2005	2049		2049						2049		1603	4034	452		
2023	2023	2023	2023			2023	1994		2023		1722	898	453		
2023	2023	2023	2023			2023	1994		2023		1722	898	454		
2023	2023	2023	2023			2023	1994		2023		1722	898	455		
													456		
													457		
													458		
													459		
													460		
													461		
											2439	2015	462		
											2439	2015	463		
	2020		2020						2020		2439	2015	464		
	2020		2020						2020		2439	2015	465		
913	913		913						913		1722	898	466		
											2439	2015	467		
											2439	2015	468		
													469		
													470		
											1601	4528	471		
2023	2023	2023	2023			2023	2006		2023		1722	898	472		
			2286						2286		4429	2954	473		
2023	2023		2023						2023		1996	1601	474		
2023	2023		2023						2023		1996	1601	475		
	2049		2049						2049		1722	1722	476		
	2049		2049						2049		1722	1722	477		
2023	2023	2023	2023			2023	2006		2023		1722	898	478		
2005	2049		2049						2049		1603	4034	479		
											1996	1601	480		

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS													
	MAIN	MAIN WHEEL SEAT	MEAN TIME	PILLAR	PINION BEVEL SETTING	PLATE TOP	POTANCE	REGULATOR ADJUSTING	RING EXTENSION	SHIPPER SETTING	SPRING			
										VIBRATING ARM	CAM	CLICK	DRAG	CLUTCH LEVER
441	4031					2614						2004		
442	2010					2012						2021		
443	2010					2012						2021		
444	2953					2030						2046		
445	2953					2030						2046		
446	4038	1603				4697		4042 *4593				2982		
447	2953					2030						2046		
448	4031					2614						2004		
449	4031					2614						2004		
450	4031					2614						2004		
451	4031					2614						2004		
452	4031					2614						2004		
453	2291					1584						2018		2004
454	2291					1584						2018		2004
455	2291					1584						2018		2004
456														
457														
458														
459														
460														
461														
462	2010					2012						2021		
463	2010					2012						2021		
464	2010					2012						2021		
465	2010					2012						2021		
466	2291					1584						2018		2004
467	2010					2012						2021		
468	2010					2012						2021		
469														
470														
471					4146							1603		932
472	2291		4535			1584		4594				2018		2004
473						4539						2046		
474	2291					1584						2018		
475	2291					1584						2018		
476	2007					1999						2004		
477	2007					1999						2004		
478	2291		4535			1584		4594				2018		2004
479	4031					2614						2004		
480	1610					1584						2018		

*4593 began with Serial Number 19999901.

SCREWS											SEAT MAIN WHEEL	SHIPPER SETTING	SLEEVES		GRADE
SPRING			STOP		STUD HAIR SPRING	WHEEL				ARBOR WIND- ING			SUB- CENTER		
REGU- LATOR	SETTING	SETTING LEVER	SETTING CAM	LEVER		INTER- WIND- ING	INTER- SET- TING	MINUTE	RATCHET					SETTING	
		1603			4029				4140						441
	2014				<i>1621</i>				<i>2613</i>			4019			442
	2014				<i>1621</i>				<i>2613</i>			4019			443
					<i>2948</i>				<i>2033</i>						444
					<i>2948</i>				<i>2033</i>						445
1615		1603			4029				4035		4757				446
					<i>2948</i>				<i>2033</i>						447
		1603			4029				<i>2613</i>						448
		1603			4029				<i>2613</i>						449
		1603			4029				<i>2613</i>						450
		1603			4029				<i>2613</i>						451
		1603			4029				<i>2613</i>						452
		1603			<i>934</i>										453
		1603			<i>934</i>				2026						454
		1603			<i>934</i>				2026						455
															456
															457
															458
															459
															460
															461
	2014				4410				<i>2613</i>			4335			462
	2014				4410				<i>2613</i>			4335			463
	2014				4410				<i>2613</i>			4335			464
	2014				4410				<i>2613</i>			4335			465
		1603			<i>934</i>				2292						466
	2014				4410				<i>2613</i>			4335			467
	2014				4410				<i>2613</i>			4335			468
															469
															470
		932			<i>934</i>		2399	2899					4454		471
2509		1603			<i>934</i>				2026						472
		4537			<i>2948</i>										473
	1618				<i>934</i>				2292			1912			474
	1618				<i>934</i>				2292			1912			475
	2001				<i>1620</i>				<i>2613</i>			1913			476
	2001				<i>1620</i>				<i>2613</i>			1913			477
2509		1603			<i>934</i>				2026						478
		1603			4029				<i>2613</i>						479
	1618				<i>934</i>				<i>1601</i>			1912			480

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SPRINGS											STAFF			STOP
	ARM VIBRATING	CAM	CLICK	HAIR		LEVER		MAIN		REGULATOR	SETTING	★BALANCE	CENTER	SUB CENTER	WINDING ARBOR SLEEVE
				NUMBER	STR'GTH	CLUTCH	SETTING	NUMBER	STR'GTH						
441			1897	2993	2		4190	2874	.0075			4177	4192		
442			1898	2963	2			2097	.0055		1910	869	2056		
443			1898	2963	2			2097	.0055		1910	869	2056		
444			1899	2989	2			1957	.0045			4186			
445			1899	2989	1			1957	.00425			4186			
446			4334	4130	1		4190	4640	.007	4336		4339-C.			
447			1899	2989	2			1957	.0045			4186			
448			1897	2993	1		4190	2874	.0075			4191-C.	4192		
449			1897	2993	2		4190	2874	.0075			4177	4192		
450			1897	2993	1		4190	2874	.00725			4191-C.	4192 *2774		
451			1897	2993	1		4190	2874	.0075			4191-C.	4192 ‡2774		
452			1897	2993	2		4190	2874	.0075			4177	4192 *2774		
453			1896	X796	2	2152	2153	2542	.00725	2658		2532-C.	1482		
454			1896	X796	2	2152	2153	X817	.0075	2658		2532-C.	1482		
455			1896	X796	2	2152	2153	X817	.0075	2658		2532-C.	1482		
456															
457															
458															
459															
460															
461															
462			1898	2963	2			2097	.0055		1910	869	2056		4389
463			1898	2963	2			2097	.0055		1910	869	2056		4389
464			1898	2963	2			2097	.0055		1910	869	2056		4389
465			1898	2963	2			2097	.0055		1910	869	2056		4389
466			1896	X796	3	2152	2153	X817	.00775			861	1482		
467			1898	2963	2			2097	.0055		1910	869	2056		4389
468			1898	2963	2			2097	.0055		1910	869	2056		4389
469															
470															
471			1900	X796	3	4456 *4567	4455	4457	.0095			861		4459	
472			1896	X796	2	2152	2153	X817	.0075	4585		2532-C.	1482		
473			4656	2989	2		4657	1957	.0045			4186			
474			1896	X796	3			X817	.00775		1478	861	1482		
475			1896	X796	3			X817	.00775		1478	861	1482		
476			1897	1959	2			2339	.0075		1908	2802	1716		
477			1897	1959	2			2339	.0075		1908	2802	1716		
478			1896	X796	2	2152	2153	X817	.0075	4585		2532-C.	1482		
479			1897	2993	2		4190	2874	.0075			4177	2774		
480			1896	X796	3			X817	.008		1478	861	1482		

*2774 began with Serial Number 26519501.
 ‡2774 began with Serial Number 27284001.
 *2774 began with Serial Number 26716001.
 *1567 began with Serial Number 25593001.
 ★See notes on Balance Staffs in Special Information Section.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

STOP WORKS		STUDS			WASHERS							WHEELS			GRADE
MALE	FEMALE	HAIR SPRING	MAIN WHEEL	MEAN TIME	ARBOR	CENTER PINION	MAIN SCREW	MAIN SCREW FINISH	STAFF CENTER	WHEEL RATCHET	WHEEL RATCHET FINISH	CENTER	CENTER COM- PLETE	★ ESCAPE	
		4303					4193	C.	1555			1927	4195	1490-S.	441
		4020					1921	G.	1556			1918	2082	993	442
		4020					1921	G.	1556			1918	2082	993	443
		4151					4128	C.				1929	4150 *4582	1955	444
		4151					4128	B-5				1929	4139	1955	445
		4151					4340	C.				4342	4361	4758	446
		4151					4128	A-9				1929	4388 †4583	1955	447
		4303					4193	B-5	1555			1927-G.	4194	1490-S.	448
		4303					4193	C.	1555			1927	4195	1490-S.	449
		4303					4193	C.	1555			1927-G.	4194 ‡2780	2781	450
		4303					4193	B-5	1555			1927-G.	4194 ‡2780	1490-S.	451
		4303					4193	C.	1555			1927-G.	4364 *4674	1490-S.	452
		1480		2791			1484	B-5	1554			1487	2811	2168	453
		1480		2791			1484	C.	1554	1486	C.	1487	2811	2168	454
		1480		2791			1484	C.	1554	1486	C.	1487	2811	2168	455
															456
															457
															458
															459
															460
															461
		4020					1921	G.	1556			1918	2082	993	462
		4020					1921	G.	1556			1918	2082	993	463
		4020					1921	A-9	1556			1918	2082	993	464
		4020					1921	A-9	1556			1918	2082	993	465
		1480					1484	B-5	1554			2336	2158	985-S.	466
		4020					1921	G.	1556			1918	2082	993	467
		4020					1921	G.	1556			1918	2082	993	468
															469
															470
		1480										4461	4469 **4570	981	471
		1480					1484	B-5	1554			1487	2811	2168	472
		4151										1929	4663	1955	473
		1480					1484	A-9	1554			2336	2158	985-S.	474
		1480					1484	A-9	1554			2336	2158	985-S.	475
		1917					1920	A-9	1555			1927	2112	1490-S.	476
		1917					1920	A-9	1555			1927	2112	1490-S.	477
		1480					1484	B-5	1554			1487	2811	2168	478
		4303					4193	C.	1555			1927	4673	1490-S.	479
		1480					1484	G.	1554			1567	2067	985	480

*4582 began with Serial Number 26609001.
 †4583 began with Serial Number 26804001.
 **4570 began with Serial Number 26915001.
 ‡2780 began with Serial Number 26519501.
 ‡2780 began with Serial Number 27284001.
 *4674 began with Serial Number 26716001.

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

GRADE	★ ESCAPE AND FINION	WHEELS													
		FIRST	FIRST COM- PLETE	FOURTH	FOURTH AND FINION	HOUR	INTERMEDIATE		MAIN		MINUTE	RATCHET		RING	SETTING
							SETTING	WIND- ING	NUMBER	FINISH		NUMBER	FINISH		
441	4197			2785	4199	4200			2799	C-6	2800	4301	C-5		2805
442	1979			1021	1986	1045			4021	A-22	1063	2058	A-21		4022
443	1979			1021	1987	1045			4021	A-22	1063	2058	A-21		4022
444	2069			1931	2123	4137 *4658			4126	C-2	1947	4153	C-4		1954 ††4408
445	2069			1931	2123	4137			4126	A-5	1947	4153	A.		1954 4408
446	4675			2178	4379	4200	4344		4345	A-23	4346	4348	A-23		4351
447	2069			1931	2123	4137 †4658			4126	A-14	1947	4153	A-15		1954 ††4408
448	4197			2785	4198	4200			2799	A-5	2800	4349	A-1		2805
449	4197			2785	4199	4200			2799	C-6	2800	4349	C-5		2805
450	4196			2785	4198	4200 *4666			2799	A-23	2800	4349	A-23		2805
451	4197			2785	4198	4200 †4666			2799	A-5	2800	4349	A-1		2805
452	4676			2785	4199	4200 †4666			2799	C-6	2800	4349	C-5		2805
453	4439	2715		1019	1030	1496			1498	A-5	1499	2725	A.		
454	4439			1019	1030	1496			1498	A-4	1499	4347	A-18		
455	4377			1019	1030	1496			1498	A-4	1499	4347	A-18		
456															
457															
458															
459															
460															
461															
462	1979			1021	1986	1045			4021	A-22	1063	2058	A-21		4022
463	1979			1021	1987	1045			4021	A-22	1063	2058	A-21		4022
464	1979			1021	1986	1045			4021	A-14	1063	2058	A-15		4022
465	1979			1021	1987	1045			4021	A-14	1063	2058	A-15		4022
466	1493-S.			1019	1030	1496			1498	A-5	1499	1501	A-1		
467	1979			1021	1986	1045			4021	A-22	1063	2058	A-21		4022
468	1979			1021	1987	1045			4021	A-22	1063	2058	A-21		4022
469															
470															
471	1977			2081	1983	4463 *4569	4467		4464		4465	4466			
472	4439			1019	1030	1496			1498	A-5	1499	4347	A.		
473	2069			1931	2123	4658			4659		4660	4661	C-4		4662
474	1493-S.			1019	X657	1496			1498	A-4	1499	1501	A-3		
475	1493-S.			1019	1030	1496			1498	A-4	1499	1501	A-3		
476	1978-S.			1930	1984	1936			1942	A-4	1946	1718	A-3		
477	1978-S.			1930	1985	1936			1942	A-4	1946	1718	A-3		
478	4439			1019	1030	1496			1498	A-5	1499	4347	A.		
479	4676			2785	4199	4666			2799	C-2	2800	4349	C-4		2805
480	1493			1019	1030	1496			1498	A-22	1499	1501	A-21		

*4658 began with Serial Number 26609001.
†4658 began with Serial Number 26804001.
*4666 began with Serial Number 26519501.
†4666 began with Serial Number 27284001.
†4666 began with Serial Number 26716001.
*4569 began with Serial Number 26915001.
††4408 began with Serial Number 21680001.
††4408 began with Serial Number 21682001.

*Two diameters of escape wheels have been made in 18, 16 and 6 sizes.
The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

