

GRADE	ARBORS						ARM VIBRATING	BALANCE	BALANCE COMPLETE	BAND DUST	BAR SETTING	BARREL	BARREL HUB AND SCREW	BUSHINGS		CAMS
	BARREL	PALLET	SETTING	MAIN WIND	WINDING	CENTER UPPER								CENTER LOWER	SETTING	
481	4313	2733			<i>4353</i>		2735	4409				4317				
482	4647	2550			<i>4648</i>		1781	4396				4319				
483	4647	2550			<i>4703</i>		1781	4396				4319				
484	4647	2550			<i>4703</i>		1781	4396				4319				
485	4777	4778			<i>4779</i>		2952	4746				4780				
486	1301	2309			<i>2052</i>		<b>X242</b>	4081				<b>X275</b>				
487	4777	4778			<i>4779</i>		2952	4746				4780				
488	4647	2550			<i>4703</i>		1781	4396				4319				
489	4152	2550			<i>4213</i>		2552	4175				4158				
490	4936	2310			<i>4940</i>		4941	4942				4943-N				
491	5306	2733			<i>5307</i>		5308-C	5309-C				4317				
492	5016	5017			<i>5018</i>		5019	5020				5021-G				
493	4937	2310					4941	4942				4943-N				
494	4987	1304			<i>2052</i>		4588-G	4724				4988-N				
495	5306	2733			<i>5307</i>		5308-C	5309-C				4317				
496	5306	2733			<i>5307</i>		5308-F	5309-F				4317				
497																
498	5306	5439			<i>5307</i>		5308-C	5309-C				4317				
499	4152	2550			<i>4213</i>		2552	4175				4158				
500																
501																
502	4777	4778			<i>4779</i>		2952	4746				4780				
503																
504	5016	5017			<i>5018</i>		5019	5020				5021				
505	4440	2309		<i>4995</i>			<b>X242</b>	4081				4442				
506	4643	1304			<i>2052</i>		4588-G	4724				4316				
507																
508	4936	2310					4941	4942				4943-N				
509																
510																
511																
512	5107	5017			<i>5108</i>		5109	5110				5111-G				
513	5107	5017			<i>5108</i>		5109	5110				5111-G				
514	4647	2550			<i>4703</i>		1781	4396				4319				
515																
516	4777	4778			<i>4779</i>		2952	4746				4780				
517	4777	4778			<i>4779</i>		2952	4746				4780				
518	4647	2550			<i>4703</i>		1781	4396				4319				
519	5236	5237			<i>5238</i>		5239	5240				5241		5248	5249	
520																

CAMS		CAPS		CLAMPS					CLICK		CLUTCHES		GRADE
SETTING SPRING	ARBOR	RATCHET	BALANCE CAP UPPER	PALLET JEWEL	CASE	MINUTE WHEEL	CLUTCH	RATCHET WHEEL	SETTING WHEEL	NUMBER & FINISH	SETTING	WIND AND SETTING	
								NUMBER & FINISH					
						4180			4180	2742 A-17		2741	<b>481</b>
					4692	4649			4649	4650 G		4121	<b>482</b>
					4692	4897			4897	4650 G		4121	<b>483</b>
					4692	4897			4897	4650 G		4121	<b>484</b>
						4781			4781	4782 A-9		4783	<b>485</b>
						1315				1802 C-3		1807	<b>486</b>
						4781			4781	4782 A-17		4783	<b>487</b>
					4692	4897			4897	4650 G		4121	<b>488</b>
						4819			4819	4132 B		4121	<b>489</b>
										4944 H		4946	<b>490</b>
						5310				5311 C-3		5312	<b>491</b>
						5022			5022	5023 B		5024	<b>492</b>
		4947								4945 H			<b>493</b>
						4990		4939 B		1802 A-5		1807	<b>494</b>
						5310				5311 C-3		5312	<b>495</b>
						5310				5311 A-17		5312	<b>496</b>
													<b>497</b>
				5456		5310				5311 C-3		5312	<b>498</b>
						4819			4819	4132 B		4121	<b>499</b>
													<b>500</b>
													<b>501</b>
						4781			4781	4782 A-9		4783	<b>502</b>
													<b>503</b>
						5022			5022	5023 B		5024	<b>504</b>
										4443 G			<b>505</b>
						4990				1802 A-5		1807	<b>506</b>
													<b>507</b>
										4944 H			<b>508</b>
													<b>509</b>
													<b>510</b>
													<b>511</b>
						5113	5112		5114	5115 B		5116	<b>512</b>
						5113	5112		5114	5115 C		5116	<b>513</b>
					4692	4897			4897	4650 G		4121	<b>514</b>
													<b>515</b>
						4781			4781	4782 A-9		4783	<b>516</b>
						4781			4781	4782 A-17		4783	<b>517</b>
					4692	4897			4897	4650 G		4121	<b>518</b>
						5242				5243 C		5244	<b>519</b>
													<b>520</b>

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

ELGIN NATIONAL WATCH CO.

Watch Material

GRADE	COLLETS		DOME		DIAL	FORK	HANDS		HUBS		INDEX	JEWELS			
	BARREL ARBOR	HAIR SPRING	COCK	FINISH			HOUR AND MINUTE	SECOND	BARREL ARBOR	RATCHET WHEEL		BALANCE			
												HOLE		CAP	
												UPPER	LOWER	UPPER	LOWER
481		2743			*12s		12s	12s			2746	4806	4806	2193	X466
482		2139			16/0s		16/0s					2189	2189	2196	2190
483		2139			18/0s		18/0s					2189	2189	2196	2190
484		2139			18/0s		18/0s					2189	2189	2196	2190
485		X359			4/0s		4/0s	3/0s				X455	X455	2194	1356
486		1318			16s		16s	16s			4356	X447	X447	2192	1350
487		X359			4/0s		4/0s	3/0s				X455	X455	2194	1356
488		2139			18/0s		18/0s					2189	2189	2196	2190
489		2744			6/0s		6/0s	6/0s				2189	2189	2196	2190
490		4948			22s		22s	22s				X453	4806	2193	X466
491		2743			12s		12s	12s			2746	4806	4806	2193	X466
492		5025			20/0s		20/0s					5059	2189	5060	2190
493		4948			22s		22s	22s				X453	4806	2193	X466
494		1318			16s	2574	16s	16s	4991	4992		2086	2086	1349	1350
495		2743			12s		12s	12s			2746	4806	4806	2193	X466
496		2743			12s		12s	12s				4806	4806	2193	X466
497															
498		2743			12s		12s	12s			2746	4806	4806	2193	X466
499		2744			6/0s		6/0s	6/0s				2189	2189	2196	2190
500															
501															
502		X359			4/0s		4/0s	4/0S.S.				X455	X455	2194	1356
503															
504		5025			20/0s		20/0s					5059	2189	5060	2190
505		1318			37s		37s	37s				X447	X447	2192	1350
506		1318			16s	2574	16s	16s				2086	2086	1349	1350
507															
508		4948			22s		22s	22 S.S.				X453	4806	2193	X466
509															
510															
511															
512		5025			26/0s		26/0s					5059	2189	5117	5118
513		5025			26/0s		26/0s					5059	2189	5117	5118
514		2139			18/0s		18/0s	18/0 S.S.				2189	2189	2196	2190
515															
516		X359			4/0s		4/0s					X455	X455	2194	1356
517		X359			4/0s		4/0s					X455	X455	2194	1356
518		2139			18/0s		18/0s					2189	2189	2196	2190
519		2744	5245	C-2	8/0s		8/0s	8/0s				5250	5250	5251	5252
520															

\*Streamline.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

JEWELS															GRADE
BARREL ARBOR		SWEEP SECOND ARBOR	CENTER		ESCAPE				FOURTH		PALLET				
UPPER	LOWER		UPPER	LOWER	HOLE		CAP		UPPER	LOWER	HOLE		CAP		
					UPPER	LOWER	UPPER	LOWER			UPPER	LOWER	UPPER	LOWER	
					1368	1382			1390	1405	2267	2426			<b>481</b>
					4727	2938			2245	2930	2937	2943			<b>482</b>
			4725	4726	4727	2938			2245	2930	2937	2943			<b>483</b>
					4727	2938			2245	2930	2937	2943			<b>484</b>
															<b>485</b>
			2209	1343	1368	X486			1390	X510	2263	2426			<b>486</b>
			•2216	•1346	4838	X492			4839	X516	2266	2253			<b>487</b>
															<b>488</b>
			4833	4726	4835	2939			4836	2931	2937	2944			<b>489</b>
															<b>490</b>
			2213	5365	5440	5441	5442	5443	1390	1405	2267	2426			<b>491</b>
					5061	2939			5062	2931	2937	5063			<b>492</b>
															<b>493</b>
2586	2587		1336	1343	4932	4933	2199	1362	1392	1403	2093	2250	2203	2202	<b>494</b>
			2213	5365	1368	1382			1390	1405	2267	2426			<b>495</b>
															<b>496</b>
															<b>497</b>
			2213	5365	5440	5441	5442	5443	1390	1405	5444	2250	5445	5446	<b>498</b>
			4833	4726	5100	5100	5101	5102	4836	2931	2937	2944			<b>499</b>
															<b>500</b>
															<b>501</b>
															<b>502</b>
															<b>503</b>
			5065	4726	5061	2939			5062	2931	2937	5063			<b>504</b>
															<b>505</b>
			1336	1343	4932	4933	2199	1362	1392	1403	2093	2250	2203	2202	<b>506</b>
															<b>507</b>
															<b>508</b>
															<b>509</b>
															<b>510</b>
															<b>511</b>
					5151	5152	5153	5154	5157	5158	2937	5063			<b>512</b>
															<b>513</b>
															<b>514</b>
															<b>515</b>
															<b>516</b>
			2216	1346	4838	X492			4839	X516	2266	2253			<b>517</b>
															<b>518</b>
					5253	5254			5255	5256	5257	5258			<b>519</b>
															<b>520</b>

•Began with serial No. 32,508,001.

GRADE	JEWELS				KNOB	LEVERS			NUTS					PALLETS		
	THIRD		★ ROLLER JEWEL	PALLET STONE		SETTING PINION ARBOR	CLUTCH	REGU- LATOR ADJUST- ING	SETTING	CENTER		MEAN TIME	REGU- LATOR	REGULA- TOR NUT AND SCREW	WITH STONES	AND FORK WITH STONES
	UPPER	LOWER								PINION	WHEEL					
481	1425	X538	X570-C	X556-G		4428		4185				1548	2753		2865	
482	2281	2933	2150-C	2151-G		4651		4652							2683	
483	2281	2933	2150-C	2151-G		4705		4706							2683	
484	2281	2933	2150-C	2151-G		4705		4706							2683	
485			X571-C	X558-G		4784		4785							2681	
486	1425	X538	X559-C	X546-G		2154		2155				1447			2891	
487	4840	X544	X571-C	X558-G		4784		4785							2681	
488			2150-C	2151-G		4705		4706							2683	
489	4837	2932	2150-C	2151-G		4427		4720							2683	
490			X570-C	X556-G		4950		4951							2865	
491	1425	X538	X570-C	X556-G		4428		4185					2753		2865	
492	5064	2932	5057-C	5058-G		5026		5027							5028	
493			X570-C	X556-G	4949										2865	
494	1427	1436	2075-D	X546-S		2154		2155				4586		2675	2978	
495	1425	X538	X570-C	X556-G		4428		4185					2753		2865	
496			X570-C	X556-G		4428		4185							2865	
497																
498	1425	X538	X570-C	X556-G		4428		4185					2753		2865	
499	4837	2932	2150-C	2151-G		4427		4720							2683	
500																
501																
502			571-C	X558-G		4784		4785							2681	
503																
504	5064	2932	5057-C	5058-G		5026		5027							5028	
505			X559-C	X546-G	5009										2891	
506	1427	1436	2075-D	X546-S		2154		2155				4586		2675	2978	
507																
508			X570-C	X556-G											2865	
509																
510																
511																
512	5159	5160	5057-C	5058-G		5119		5120							5028	
513			5057-C	5058-G		5119		5120							5028	
514			2150-C	2151-G		4705		4706							2683	
515																
516			X571-C	X558-G		4784		4785							2681	
517	4840	X544	X571-C	X558-G		4784		4785							2681	
518			2150-C	2151-G		4705		4706							2683	
519	5255	5256	5246-D	5247-G		5259		5260							5261	
520																

On Roller Jewels: C = Combination Roller.

★There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

PALLET	PINIONS											PINS	PIVOT	RATCH- ET	GRADE
	FORK AND ARBOR WITH STONES	BEVEL	ARBOR SETTING AND PINION COM- PLETE	CANNON	CENTER	ESCAPE	FOURTH	SETTING	SUB CENTER	SWEEP SECOND	THIRD				
4306	4186		2760	2761	2762	4188				2763					
2691	4653		4654	4655	1869	2109				1881					
2691	4653		4654	4655	4707	4708				4709					
2691	4653		4654	4655	4707	4708				4709					
4803	4786		<i>X650</i>	2055	4999	4841				4787					
2884	4392		<i>1457</i>	<i>X660</i>	1461	<i>X691</i>				<i>X703</i>					
4803	4786		<i>X650</i>	2055	4999	4841				4787					
2691	4653		4654	4655	4707	4708				4709					
2691	4124		4531	2955	1869	4163				1881					
2803	4952		4953	4954	1867	4956	4958	4955		4957					
4306	5313		5314	2761	5447	2796				2763					
5029	5030 +5078		5031	5032	5033	5034				5035					
2803		4939	4953	4954	1867	4956		4955		4957					
2967	4392		4531	2599	1462	<i>X691</i>				<i>X703</i>					
4306	5313		5314	2761	5315	2796				2763					
4306	5313		5314	2761	5315	2796				2763					
5448	5313		5314	2761	5447	2796				2763					
2691	4124		4531	2955	5103	4163				1881					
4803	4786		4997	4998	4999	5000				5001	5002				
5029	5030 5078 •		5031	5032	5033	5034				5035					
2884		5010	4450-S 4568-L	4458-S 4529-L	1865	1870		4451		4452					
2967	4392		4531	2599	1462	<i>X691</i>				<i>X703</i>					
2803			5080	5081	1867	4956	5083	4955	5084	5082	5085				
5029	5121		5122	5123	5155	5125				5126					
5029	5121		5122	5123	5124	5125				5126					
2691	4653		5161	5162	4707	4708				5166	5164				
4803	4786		<i>X650</i>	2055	4999	4841				4787					
4803	4786		<i>X650</i>	2055	4999	4841				4787					
2691	4653		4654	4655	4707	4708				4709					
5262	5264		5265	5266	5267	5268				5269		5263			

† Began with serial No. 34,744,001.  
 • Began with serial No. 34,749,001.

GRADE	RING FRICTION	REGU-LATOR	★ROLLERS					SCREWS							
			COMBINATION		SAFETY	TABLE		ARBOR SETTING	BALANCE	BANKING	BAR SETTING	BRIDGE			
			WITHOUT PIN	WITH PIN		WITHOUT PIN	WITH PIN					TRAIN	BARREL	BEVEL PINION	CENTER
481		4189	2869	2872					2728	2616		2614			
482		4333	2653	2699					2729	2027		4539		4539	
483		4710	2653	2699					2729	4886		4539		4539	
484		4710	2653	2699					2729	4886		4539		4539	
485		4788	2652	2698					2728	2837		4799			
486		2646	2868	2870					1568	2302		1584			
487		4788	2652	2698					2728	2837		4799			
488		4710	2653	2699					2729	4886		4539		4539	
489		4165	2653	2699					2729	2027		2030			
490		4960	2869	2872					1997	1577	4930	4898			
491		5402	2869	2872					2728	2616		2614			
492		5036	5037	5038					4544	4873		4540			
493		4960	2869	2872			4146	1997	1577			4898			
494		4584			1888	1884	2382	4509	2302			4907			
495		5402	2869	2872				2728	2616			2614			
496		5316	2869	2872				2728	2616			2614			
497															
498		5402	2869	2872				2728	2616			2614			
499		4165	2653	2699				2729	2027			2030			
500															
501															
502		4788	2652	2698				2728	2837			4799			
503															
504		5036	5037	5038				4544	4873			4540			
505		1467	2868	2870				1568	2306		4147	4144			
506		4584			1888	1884	2382	4509	2302			4907			
507															
508		4960	2869	2872				1997	1577			4898			
509															
510															
511															
512		5127	5037	5038				4544	5206			4540			
513		5127	5037	5038				4544	5206			4540			
514		4710	2653	2699				2729	4886			4539		4539	
515															
516		4788	2652	2698				2728	2837			4799			
517		4788	2652	2698				2728	2837			4799			
518		4710	2653	2699				2729	4886			4539		4539	
519		5270	5272	5271				2729				5183			
520															

★There is considerable variation in the diameter of jewel pins or roller jewels used in the same grade of movements. In filling orders assorted diameters will be supplied.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS															
PALLET	BRIDGE		CAM SETTING	CAM SETTING SPRING	CAP ARBOR	CAP BRIDGE	CAP RATCHET	CASE	CLAMP					GRADE	
	WINDING								BALANCE JEWEL		CASE	MINUTE WHEEL	CLUTCH		RATCHET
	LONG	SHORT							UPPER	LOWER					
2000							2630				2023			481	
2031	2621									4692	2047			482	
2031	4589									4692	2047			483	
2031	4589									4692	2047			484	
4851							4798				2018			485	
894							1591				926			486	
4851							4798				2018			487	
2031	4589									4692	2047			488	
2031							2029				2047			489	
1587	4879	4880					4871							490	
2000							2630				904			491	
4543											4551			492	
1587	4879	4880					4537	4885						493	
894							1591				926			494	
2000							2630				904			495	
2000							2630				904			496	
														497	
2000							2630				904			498	
2031							2029				2047			499	
														500	
														501	
4851							4798				2018			502	
														503	
4543											4551			504	
894							4143							505	
894							1591				926			506	
														507	
2000							4871							508	
														509	
														510	
														511	
5148											5144	5073		512	
5148											5144	5073		513	
2031	4899									4692	2047			514	
														515	
4851							4798				2018			516	
4851							4798				2018			517	
2031	4899									4692	2047			518	
5184							5186				5185			519	
														520	

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.



GRADE	SCREWS													
	CLAMP		CLICK	CLUTCH SETTING	CUP ARBOR	COCK		DIAL	DIAL FOOT	DOME COCK	INDEX	JEWEL		
	RATCHET WHEEL	SETTING WHEEL				BAL- ANCE	ESCAPE					BALANCE UPPER	BALANCE LOWER	BARREL LOWER
481		2023	4030			2614			2438		2024	2049	2950	
482		2047	2045			4539	4539		2441			2048	2286	
483		2047	2045			4530	4539	4696	2441			4905	4906	2286
484		2047	2045			4539	4539	4696	2441			4905	4906	
485		2018	4801			4799			4852			2020	2020	
486			1601			1584			2438		1603	2023	2023	1606
487		2018	4801			4799			4852			2020	2020	2050●
488		2047	2045			4539	4539	4696				4905	4906	
489		2047	2045			2030			2441			4905	4906	2286
490			4881			4930			4904			2023	2049	
491			4030			2614			2438		2024	2049	2006	1607
492		4551	4875			4540		4926				2048	2286	
493						4930			4904			2023	2049	
494	2621		2292			4907			2438			2023	2023	2023 1617
495			4030			2614			2438		2024	2049	2006	1607
496			4030			2614			2438			2049	2006	
497														
498			4030			2614			2438		2024	2049	2006	1607
499		2047	2045			2030			2441			4905	4906	2286
500														
501														
502		2018	4801			4799			4852			2020	2020	
503														
504		4551	4875			4540		4926				2048	2286	2286
505			1601			4147			4904			2023	2023	
506			2292			4907			2438			2023	2023	1617
507														
508			4881			4930			4904			2023	2049	
509														
510														
511														
512		2021	5071			4540		5072				4983	4985	
513		2021	5071			4540		5072				4983	4985	
514		2047	2045			4539	4539	4696				4905	4906	
515														
516		2018	4801			4799			4852			2020	2020	
517		2018	4801			4799			4852			2020	2020	2050
518		2047	2045			4539	4539	4696				4905	4906	
519			5190			5183			5187	5192			5193	
520														

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

SCREWS															GRADE	
JEWEL										LEVER						
CENTER	ESCAPE		FOURTH		PALLET			THIRD		CAM	CLUTCH	SETTING	REGULA-TOR ADJUST-ING			
	LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER							
	<i>2049</i>		<i>2049</i>						<i>2049</i>				1603	4034		<b>481</b>
			<i>2286</i>						<i>2286</i>				4429	4695		<b>482</b>
			<i>2286</i>						<i>2286</i>				4429	4695		<b>483</b>
			<i>2286</i>						<i>2286</i>				4429	4695		<b>484</b>
													4802	4797		<b>485</b>
<i>2023</i>	<i>2023</i>		<i>2023</i>						<i>2023</i>				1722	898		<b>486</b>
	<i>2020</i>		<i>2020</i>						<i>2020</i>				4802	4797		<b>487</b>
													4429	4695		<b>488</b>
	<i>2286</i>		<i>2286</i>						<i>2286</i>				4429	2954		<b>489</b>
													4870	4869		<b>490</b>
	<i>2049</i>	1607	<i>2049</i>						<i>2049</i>				1603	4887		<b>491</b>
	<i>2286</i>		<i>2286</i>						<i>2286</i>				4551	4876		<b>492</b>
																<b>493</b>
<i>2023</i>	<i>2023</i>	<i>2023</i>	<i>2023</i>			<i>2023</i>	<i>2006</i>		<i>2023</i>				1722	898		<b>494</b>
	<i>2049</i>		<i>2049</i>						<i>2049</i>				1603	4887		<b>495</b>
													1603	4887		<b>496</b>
																<b>497</b>
	<i>2049</i>	1607	<i>2049</i>		4908	1607			<i>2049</i>				1603	4887		<b>498</b>
	<i>2286</i>		<i>2286</i>						<i>2286</i>				4429	2954		<b>499</b>
																<b>500</b>
																<b>501</b>
													4802	4797		<b>502</b>
																<b>503</b>
	<i>2286</i>		<i>2286</i>						<i>2286</i>				4551	4876		<b>504</b>
																<b>505</b>
<i>2023</i>	<i>2023</i>	<i>2023</i>	<i>2023</i>			<i>2023</i>	<i>2006</i>		<i>2023</i>				1722	898		<b>506</b>
																<b>507</b>
																<b>508</b>
																<b>509</b>
																<b>510</b>
																<b>511</b>
	<i>4985</i>	<i>4985</i>	<i>4985</i>						<i>4985</i>					5068		<b>512</b>
														5068		<b>513</b>
													4429	4695		<b>514</b>
																<b>515</b>
													4802	4797		<b>516</b>
	<i>2020</i>		<i>2020</i>						<i>2020</i>				4802	4797		<b>517</b>
													4429	4695		<b>518</b>
														4924		<b>519</b>
																<b>520</b>

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SCREWS										SPRING				
	MAIN	MAIN WHEEL SEAT	MEAN TIME	PILLAR	PINION SETTING	PLATE TOP	PCTANCE	REGULATOR ADJUSTING	RING EXTENSION	SHIPPER SETTING	VIBRATING ARM	CAM	CLICK	DRAG	CLUTCH LEVER
481	4031					2614						2004			
482						4539						2046			
483						4539						2046			
484						4539						2046			
485	4800					4799						2021			
486	1610					1584						2018		2004	
487	4800					4799						2021			
488												2046			
489	2953					2030						2046			
490												2018			
491	4031					2614						2004			
492	4877					4540						4548			
493												2018			
494	2291		4535			4907		4594				1615		2004	
495	4031					2614						2004			
496	4031					2614						2004			
497															
498	4031					2614						2004			
499	2953					2030						2046			
500															
501															
502	4800					4799						2021			
503															
504	4877					4540						4548			
505					4146							1603			
506	2291		4535			4907		4594				2018		2004	
507															
508												2018			
509															
510															
511															
512	5070-C <sup>2</sup>					4540						5066			
513	5070-C <sup>2</sup>					4540						5066			
514												2046			
515															
516	4800					4799						2021			
517	4800					4799						2021			
518												2046			
519	5191					5183									
520															

SCREWS											SLEEVES		GRADE			
SPRING			STOP		STUD HAIR SPRING	WHEEL					WINDING KEY	SHIPPER SETTING		ARBOR SETTING	SUB- CENTER	
REGU- LATOR	SWEEP SECOND	SETTING LEVER	SETTING CAM	LEVER		INTER- WIND- ING	INTER- SET- TING	MINUTE	RATCHET	SETTING						
		1603			4029				2613							481
		4537			2948											482
		4537			2948											483
		4537			2948											484
					4410				2613							485
		1603			934				1601							486
					4410				2613							487
		4537			2948											488
					2948				2033							489
					1619	4881			4882	4146					4962	490
		1603			4986				2613							491
					4515				4878							492
					1619						4884		4961	4962		493
2509		1603			934											494
		1603			4986				2613							495
		1603			4986				2613							496
																497
		1603			4986				2613							498
					2948				2033							499
																500
																501
	1617				4410				2613							502
					4515				4878							503
					934			2899	1601		4884				4454	504
2509		1603			934				2026							505
																506
	1617				1619	4882			4882	4882					4962	507
																508
																509
																510
																511
		5073			4982				5069							512
		5073			4982				5069							513
	1617	4537			2948											514
																515
					4410				2613							516
					4410				2613							517
		4537			2948											518
					5194				5189							519
																520

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

GRADE	SPRINGS									STAFF			STOP		
	ARBOR SETTING	CAM	CLICK	HAIR		LEVER		MAIN		REGU-LATOR	SWEEP SECOND	★BAL-ANCE	CENTER	SUB CENTER	WINDING ARBOR SLEEVE
				NUMBER & STR'GTH		CLUTCH	SETTING	NUMBER & STR'GTH							
481			1897	2993	2		4190	2874	.0075			4177	2774		
482			4656	2989	2		4657	1957	.00425			4136			
483			4656	2989	2		4711	1957	.00425			4136			
484			4656	2989	2		4711	1957	.00425			4136			
485			1898	2963	2			4789	.00475			4790	4791		
486			1896	X796	3	2152	2153	X817	.008			861	1482		
487			1898	2963	2			4789	.00475			4790	4791		
488			4656	2989	2		4711	1957	.00425			4136			
489			1899	4129	2			2890	.0045			4136	4530		
490			1900	4868	2			4935	.0085			2802		4964	
491			1897	4900	2		4190	2874	.0075			5317	5318		
492			5039	4934	2			5015	.00375			5040			
493	4959		1900	4868	2			4935	.0085			2802		4964	
494			1896	X796	2	2152	2153	4931	.00725	4585		2532-C	1482		
495			1897	4900	2		4190	2874	.0075			5317	5318		
496			1897	4900	2		4190	2874	.0075			5317	5318		
497															
498			1897	4900	2		4190	2874	.0075			5317	5318		
499			1899	4129	2			2890	.0045			4136	4530		
500															
501															
502			1898	2963	2			4789	.005		5003	4790			
503															
504			5039	4934	2			5015	.00375			5040			
505	5011		1900	X796	3			4457	.0095			861		4459	
506			1896	X796	2	2152	2153	X817	.00725	4585		2532-C	1482		
507															
508			1900	4868	2			4935	.0085		5003	2802		4964	
509															
510															
511															
512			5128	5096	2	5130	5129	5131	.0035			5040			
513			5128	5096	2	5130	5129	5131	.0035			5040			
514			4656	2989	2		4711	1957	.0045		5167	4136			
515															
516			1898	2963	2			4789	.00475			4790	4791		
517			1898	2963	2			4789	.00475			4790	4791		
518			4656	2989	2		4711	1957	.00425			4136			
519			5273	5208	2	5274		5219	.0041			5275			
520															

★See notes on Balance Staffs in Special Information Section.

STOP WORKS		STUDS			WASHERS				WHEELS			GRADE			
MALE	FEMALE	HAIR SPRING	MAIN WHEEL	MEAN TIME	ARBOR	CENTER PINION	MAIN SCREW		STAFF CENTER	RATCHET WHEEL HUB			CENTER	CENTER COM- PLETE	★ ESCAPE
							NUMBER & FINISH			NUMBER & FINISH					
		4303					4193	A-9	1555			1927	4673	1490-S	<b>481</b>
		4151										1929	4663	1955	<b>482</b>
		4151										4712	4716	1955	<b>483</b>
		4151										4712	4716	1955	<b>484</b>
		4020					4792	A-9	1556			1918	4804	993	<b>485</b>
		1480					1484	C	1554			2336	2158	2168	<b>486</b>
		4020					4792	A-9	1556			1918	4804	993	<b>487</b>
		4151										4712	4716	1955	<b>488</b>
		4167					4128	C	2808			2810	4533	1955-S	<b>489</b>
		4963										4965	4972	1490	<b>490</b>
		4901					5319	C	1555			1927	5449	1490-S	<b>491</b>
		5041					5042	C				5043	5044	5045	<b>492</b>
		4963										4965	4972	1490	<b>493</b>
		1480					1484	B-5	1554	4993		1487	2811	2168	<b>494</b>
		4901					5319	C	1555			1927	5325	1490-S	<b>495</b>
		4901					5319	G	1555			1927	5325	1490-S	<b>496</b>
															<b>497</b>
		4901					5319	C	1555			1927	5449	1490-S	<b>498</b>
		4167					4128	C	2808			2810	4533	1955-S	<b>499</b>
															<b>500</b>
															<b>501</b>
		4020					4792	A-9				2335	5006	993-S	<b>502</b>
															<b>503</b>
		5041					5042	C				5043	5044	5045	<b>504</b>
		1480										4461	4469 4570	981	<b>505</b>
		1480					1484	B-5	1554			1487	2811	2168	<b>506</b>
															<b>507</b>
		4963										5086	5087	1490	<b>508</b>
															<b>509</b>
															<b>510</b>
															<b>511</b>
		5041					5132	H				5133	5134	5045	<b>512</b>
		5041					5132	C				5133	5134	5045	<b>513</b>
		4151										4712	5163	1955-S	<b>514</b>
															<b>515</b>
		4020					4792	A-9	1556			1918	4804	993	<b>516</b>
		4020					4792	A-9	1556			1918	4804	993	<b>517</b>
		4151										4712	4716	1955	<b>518</b>
		5276					5277	A-10				5278	5279	5280	<b>519</b>
															<b>520</b>

★Two diameters of escape wheel's have been made in 18, 16, and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

GRADE	WHEELS														
	★ ESCAPE AND PINION	FIRST	FIRST COM- PLETE	FOURTH	FOURTH AND PINION	HOUR	INTERMEDIATE		MAIN		MINUTE	RATCHET		RING	SETTING
							SETTING	WIND- ING	NUMBER & FINISH	NUMBER & FINISH					
481	4676			2785	4199	4666			2799	A-14	2800	4349	A-15		2805
482	2069			1931	2123	4658			4659	H	4660	4661	C-4		4662
483	4717-S			4713	4718	4658			4714 4909	C	4660	4661	C-7		4662
484	4717-S			4713	4718	4658			4714 4909	C	4660	4661	C-7		4662
485	4825-S			1021	4842	1045	4796		4793	A-9	1063	4794	A-9		4795
486	1493-S			1019	1030	1496			1498	C-2	1499	1501	C-4		
487	4825-S			1021	4842	1045	4796		4793	A-14	1063	4794	A-15		4795
488	4717-S			4713	4718	4658			4714 4909	C	4660	4661	A-9		4662
489	4834			1931	4172	4532	4672		4168	C-6	1947	4169	C-5		4408
490	1978			1930	4973	4966		4970	4938	H	4967	4968	H		
491	5450			2785	4378	5320			5321	C-2	5322	5323	C-4		5324
492	5046			5047	5048	5049	5054 *5077		5050 ●5079	C	5051	5052	C-5		5053
493	1978			1930	4973	4966					4967	4969	H		
494	4439			1019	1030	1496			1498	A-5	1499	2725	A		
495	5326			2785	4378	5320			5321	C-2	5322	5323	C-4		5324
496	5326			2785	4378	5320			5321	A-17	5322	5323	A-17		5324
497															
498	5450			2785	4378	5320			5321	C-2	5322	5323	C-4		5324
499	5104			1931	4172	4532	4672		4168	C-6	1947	4169	C-5		4408
500															
501															
502	4825-S			1021	5007	5004	4796		4793	A-9	1063	4794	A-9		4795
503															
504	5046			5047	5048	5049	5054 5077†		5050 ●5079●●	C	5051	5052	C-5		5053
505	1977			2081	1983	4463S 4569L			5012	H	4465	4466	H		
506	4439			1019	1030	1496			1498	A-5	1499	4347	A		
507															
508	1978			1930	4973	4966		5089			4967	4968	H		5088
509															
510															
511															
512	5156-S			5136	5137	5138			5139	B	5051	5140	C5		5141
513	5135-S			5136	5137	5138			5139	C	5051	5140	C		5141
514	4717-S			4713	4718	5168			4909	C	4660	4661	A-9		4662
515															
516	4825-S			1021	4842	1045	4796		4793	A-9	1063	4794	A-9		4795
517	4825-S			1021	4842	1045	4796		4793	A-14	1063	4794	A-15		4795
518	4717-S			4713	4718	4658			4909	C	4660	4661	A-9		4662
519	5281			5282	5283	5284			5285	C-3	5286	5287	C-9		5288
520															

★Two diameters of escape wheels have been made in 18, 16 and 6 sizes. The larger being known as New Style (N.S.) which will be supplied unless Old Style (O.S.) is ordered.

● Began with serial No. 34,744,001.  
 \* Began with serial No. 34,874,001.  
 ●● Began with serial No. 34,749,001.  
 † Began with serial No. 34,862,001.

Numbers appearing in italics will be found in the Elgin Genuine Material System and may be ordered by bottle or compartment number.

