

Calibres de base	Grandeur	Calibres dérivés	∅ trou	Bloc dessus	Bloc dessous	Creusure plat. cad.	Clavette	Vis	Chaton empierré	Pierre de dessus	c. pivot dessous	Ressort de c. pivot dessus	Ressort de c. pivot dessous
° 85	10½	852 8521	08	100.11.290	100.20	— —	180.19	150.11	111.08	121.11	122.11	170.03	170.03
° 853	10½	8531	09	100.11.275	105.20	— —	180.19	—	111.09	121.11	122.11	170.03	173.03
41	5%	4111	08	100.11.250	112.20	— —	180.19	150.21	111.08	121.11	122.11	170.03	172.03
44	7%		08	201.11.230	215.20	— 9	280.21	—	211.08	221.11	222.11	270.03	270.03
88	12	70 89	10	100.11.325	105.20	10 —	180.19	—	111.10	121.11	122.11	170.03	173.03
401	10½	421	08	100.11.290	100.20	— —	180.19	150.11	111.08	121.11	122.11	170.03	170.03
402	10½	403 422 423	09	100.12.275	105.20	— 19	—	—	111.09	121.11	122.11	170.03	173.03
431	4%		08	201.11.230	211.20	— 9	280.21	150.21	211.08	221.11	222.11	270.03	270.03
432	4%		08	214.12.213	211.20	— 10	—	150.21	211.08	221.11	222.11	270.03	270.03
854	10½	8541	09	100.12.275	105.20	— 12	—	—	111.09	121.11	122.11	170.03	173.03
952	17		10	100.11.365	103.20	10 7	180.19	—	111.10	121.11	122.11	170.03	173.03
972	17	982	10	100.11.365	103.20	— —	180.19	—	111.10	121.11	122.11	170.03	173.03

IWC International Watch Co. CH-8201 Schaffhausen

° 41	5%	4111	08	100.11.250	112.20	— —	180.19	150.21	111.08	121.11	122.11	170.03	172.03
° 44	7%		08	201.11.230	215.20	— 9	280.21	—	211.08	221.11	222.11	270.03	270.03
° 85	10½	852 8521	08	100.11.290	100.20	— —	180.19	150.11	111.08	121.11	122.11	170.03	170.03
° 401	10½	421	08	100.11.290	105.20	— —	180.19	150.11	111.08	121.11	122.11	170.03	173.03
° 431	4%		08	201.11.230	211.20	— 9	280.21	150.21	211.08	221.11	222.11	270.03	270.03
° 853	10½	8531	09	100.11.275	105.20	— —	180.19	—	111.09	121.11	122.11	170.03	173.03
88	12	70 89	10	100.11.325	105.20	10 —	180.19	—	111.10	121.11	122.11	170.03	173.03
402	10½	403 422 423	09	100.12.275	105.20	— 19	—	—	111.09	121.11	122.11	170.03	173.03
432	4%		08	214.12.213	211.20	— 10	—	150.21	211.08	221.11	222.11	270.03	270.03
854	10½	8541	09	100.12.275	105.20	— 12	—	—	111.09	121.11	122.11	170.03	173.03
952	17	9521	10	100.11.365	103.20	10 7	180.19	—	111.10	121.11	122.11	170.03	173.03
972	17	982 9721 9725 9821	10	100.11.365	103.20	— —	180.19	—	111.10	121.11	122.11	170.03	173.03

INT

300

08

164.22-262

956.20

111.09
111.08

122.11

122.11

170.03

173.03

