


















Calibre	Bloc dessus	Bloc dessous	Ressort	Contre-pivot	Châton empierre
<b>KIF 1</b>					
152	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
<b>KIF 6</b>					
152	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
7320	6-6060 ø 12 .51	6-6006 ø 12 .54	6-6	514	307 ø 12
7330	6-6060 ø 12 .51	6-6006 ø 12 .54	6-6	514	307 ø 12

<b>KIF 1</b>					
943	1-4853 ø 12 .51	1-4802 ø 12 .53	1-7	517	304 ø 12
1012	1-2559 ø 8 .31	1-2201 ø 8 .24	1-2	515	302 ø 8
1130	1-2580 ø 11 .31	1-2201 ø 11 .34	1-2	515	302 ø 11
1526	1-2452 ø 10 .21	1-2103 ø 10 .24	1-2	515	302 ø 10
1560	1-4598 ø 11 .41	1-42 ø 11 .43	1-4	517	304 ø 11
1677	1-2559 ø 8 .31	1-2201 ø 8 .24	1-2	515	302 ø 8
1686	1-2556 ø 10 .31	1-22 ø 10 .33	1-2	515	302 ø 10
1690	1-4552 ø 10 .41	1-45 ø 10 .43	1-4	517	304 ø 10
1701	1-4599 ø 10 .41	1-45 ø 10 .43	1-4	517	304 ø 10
1726	1-2550 ø 9 .31	1-2201 ø 9 .34	1-2	515	302 ø 9
1727	1-2550 ø 9 .31	1-2201 ø 9 .34	1-2	515	302 ø 9

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empierré
1780	1-2577 ø 8 .31	1-2504 ø 8 .24	1-2	515	302 ø 8
1781	1-2577 ø 8 .31	1-2504 ø 8 .24	1-2	515	302 ø 8
1783	1-2577 ø 8 .31	1-2504 ø 8 .24	1-2	515	302 ø 8
1790	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1791	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1792	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1800 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1802 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1803 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1883	1-2588 ø 9 .31	1-2504 ø 9 .34	1-2	515	302 ø 9
1885	1-2588 ø 9 .31	1-2504 ø 9 .34	1-2	515	302 ø 9
1900	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1901	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1902	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1903	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1904	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1911	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1913	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1914	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1916	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1930	1-2584 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
1940 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1941 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1950 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1951 STA	1-3551 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
1956	1-2532 ø 9 .31	1-2504 ø 9 .34	1-2	515	302 ø 9
1977	1-2559 ø 8 .31	1-2201 ø 8 .24	1-2	515	302 ø 8
1977-2	1-2559 ø 8 .31	1-2201 ø 8 .24	1-2	515	302 ø 8
1978-2	1-2559 ø 8 .31	1-2201 ø 8 .24	1-2	515	302 ø 8
2060	1-2556 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10








Calibre	 Bloc dessus		 Bloc dessous		 Ressort	 Contre-pivot	 Châton empieré
2061	1-2556	∅ 10 .31	1-2504	∅ 10 .34	1-2	515	302 ∅ 10
2062	1-2556	∅ 10 .31	1-2504	∅ 10 .34	1-2	515	302 ∅ 10
2063	1-2556	∅ 10 .31	1-2504	∅ 10 .34	1-2	515	302 ∅ 10
2064	1-2556	∅ 10 .31	1-2504	∅ 10 .34	1-2	515	302 ∅ 10
2066	1-2556	∅ 10 .31	1-2504	∅ 10 .34	1-2	515	302 ∅ 10
2163	1-2531	∅ 9 .21	1-2504	∅ 9 .24	1-2	515	302 ∅ 9
2164	1-2531	∅ 9 .21	1-2504	∅ 9 .24	1-2	515	302 ∅ 9
2166	1-2531	∅ 9 .21	1-2504	∅ 9 .24	1-2	515	302 ∅ 9
5100	1-3430	∅ 8 .21	1-35	∅ 8 .23	1-3	516	303 ∅ 8
5102	1-3430	∅ 8 .21	1-35	∅ 8 .23	1-3	516	303 ∅ 8
5103	1-3430	∅ 8 .21	1-35	∅ 8 .23	1-3	516	303 ∅ 8
5106	1-3430	∅ 8 .21	1-35	∅ 8 .23	1-3	516	303 ∅ 8
5156	1-3430	∅ 8 .21	1-35	∅ 8 .23	1-3	516	303 ∅ 8
5203	1-3530	∅ 10 .41	1-35	∅ 10 .43	1-3	516	303 ∅ 10
5204	1-3530	∅ 10 .41	1-35	∅ 10 .43	1-3	516	303 ∅ 10
5206	1-3530	∅ 10 .41	1-35	∅ 10 .43	1-3	516	303 ∅ 10
<b>KIF 2</b>							
1012	2-2551	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1051	2-2553	∅ 9 .31	2-22	∅ 9 .23	2-2/72	515	302 ∅ 9
1193	2-4580	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1200	2-4550	∅ 10 .41	2-42	∅ 10 .43	2-3/73	516	303 ∅ 10
1410	2-4551	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1411	2-4551	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1413	2-4551	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1456	2-4569	∅ 9 .41	2-45	∅ 9 .43	2-3/73	516	303 ∅ 9
1475	2-3550	∅ 10 .41	2-35	∅ 10 .43	2-3/73	516	303 ∅ 10
1491	2-2570	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1525	2-4451	∅ 10 .21	2-41	∅ 10 .23	2-3/73	516	303 ∅ 10

Calibre	 Bloc dessus		 Bloc dessous		 Ressort	 Contre-pivot	 Châton empiercé
1526	2-4451	∅ 9 .21	2-41	∅ 9 .23	2-3/73	516	303 ∅ 9
1566	2-2551	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1576	2-4550	∅ 10 .41	2-42	∅ 10 .43	2-3/73	516	303 ∅ 10
1581	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1622	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1629	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1635	2-2570	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1673	2-4580	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1674	2-4580	∅ 9 .41	2-42	∅ 9 .43	2-3/73	516	303 ∅ 9
1676	2-2551	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1677	2-2551	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1703	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1722	2-2550	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1723	2-4451	∅ 10 .21	2-41	∅ 10 .23	2-3/73	516	303 ∅ 10
1767	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1787	2-2570	∅ 8 .31	2-22	∅ 8 .23	2-2/72	515	302 ∅ 8
1813	2-4576	∅ 10 .41	2-45	∅ 10 .43	2-3/73	516	303 ∅ 10
1876	2-2579	∅ 9 .31	2-25	∅ 9 .33	2-2/72	515	302 ∅ 9
<b>KIF 3</b>							
1012	3-2562	∅ 8 .31	3-22	∅ 8 .23	3-2	515	302 ∅ 8
1240	3-4557	∅ 9 .41	3-42	∅ 9 .43	3-3	516	303 ∅ 9
1480	3-2562	∅ 8 .31	3-21	∅ 8 .23	3-2	515	302 ∅ 8
1491	3-2564	∅ 8 .31	3-22	∅ 8 .23	3-2	515	302 ∅ 8
1576	3-4558	∅ 10 .41	3-42	∅ 10 .43	3-3	516	303 ∅ 10
1677	3-3561	∅ 8 .41	3-3202	∅ 8 .24	3-3	516	303 ∅ 8
1686	3-2551	∅ 10 .31	3-22	∅ 10 .33	3-2	515	302 ∅ 10
1690	3-4558	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1700	3-4551	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10








Calibre	Bloc dessus		Bloc dessous		Ressort	Contre-pivot	Châton empierre
1701	3-4551	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1712	3-4558	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1713	3-4558	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1767	3-4551	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1786	3-2551	∅ 10 .31	3-22	∅ 10 .33	3-2	515	302 ∅ 10
1787	3-2564	∅ 8 .31	3-22	∅ 8 .23	3-2	515	302 ∅ 8
1800 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1802 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1803 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1813	3-4551	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1814	3-4558	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1816	3-4558	∅ 10 .41	3-45	∅ 10 .43	3-3	516	303 ∅ 10
1940 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1950 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1951 STA	3-3554	∅ 10 .41	3-35	∅ 10 .43	3-3	516	303 ∅ 10
1977	3-3561	∅ 8 .41	3-3202	∅ 8 .24	3-3	516	303 ∅ 8
1977-2	3-3561	∅ 8 .41	3-3202	∅ 8 .24	3-3	516	303 ∅ 8
5156	3-3431	∅ 8 .21	3-35	∅ 8 .23	3-3	516	303 ∅ 8
<b>KIF 4</b>							
1012	4-2562	∅ 8 .31	4-22	∅ 8 .23	4-2	515	302 ∅ 8
1240	4-4557	∅ 9 .41	4-42	∅ 9 .43	4-3	516	303 ∅ 9
1480	4-2562	∅ 8 .31	4-21	∅ 8 .23	4-2	515	302 ∅ 8
1491	4-2564	∅ 8 .31	4-22	∅ 8 .23	4-2	515	302 ∅ 8
1576	4-4558	∅ 10 .41	4-42	∅ 10 .43	4-3	516	303 ∅ 10
1677	4-3561	∅ 8 .41	4-3202	∅ 8 .24	4-3	516	303 ∅ 8
1686	4-2551	∅ 10 .31	4-22	∅ 10 .33	4-2	515	302 ∅ 10
1690	4-4558	∅ 10 .41	4-45	∅ 10 .43	4-3	516	303 ∅ 10
1700	4-4551	∅ 10 .41	4-45	∅ 10 .43	4-3	516	303 ∅ 10

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empiercé
1701	4-4551 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1712	4-4558 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1713	4-4558 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1767	4-4551 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1786	4-2551 ø 10 .31	4-22 ø 10 .33	4-2	515	302 ø 10
1787	4-2564 ø 8 .31	4-22 ø 8 .23	4-2	515	302 ø 8
1800 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1802 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1803 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1813	4-4551 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1814	4-4558 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1816	4-4558 ø 10 .41	4-45 ø 10 .43	4-3	516	303 ø 10
1940 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1941	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1950 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
1951 STA	4-3554 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
5150	4-3431 ø 8 .21	4-35 ø 8 .23	4-3	516	303 ø 8
5151	4-3431 ø 8 .21	4-35 ø 8 .23	4-3	516	303 ø 8
5152	4-3431 ø 8 .21	4-35 ø 8 .23	4-3	516	303 ø 8
5153	4-3431 ø 8 .21	4-35 ø 8 .23	4-3	516	303 ø 8
5156	4-3431 ø 8 .21	4-35 ø 8 .23	4-3	516	303 ø 8
5200	4-3530 ø 10 .41	4-35 ø 10 .43	4-3	516	303 ø 10
<b>KIF 5</b>					
1727	5/6-2561 ø 9 .41	5/6-22 ø 9 .38	5-3	516	303 ø 9
1800 STA	5/3-3554 ø 10 .41	5/3-35 ø 10 .43	5-3	516	303 ø 10
1930	5/6-2667 ø 10 .41	5/6-25 ø 10 .44	5-3	516	303 ø 10
1950 STA	5/3-3554 ø 10 .41	5/3-35 ø 10 .43	5-3	516	303 ø 10
1977	5/6-2560 ø 8 .41	5/6-22 ø 8 .24	5-3	516	303 ø 8






Calibre	Bloc dessus	Bloc dessous	Ressort	Contre-pivot	Châton empierre
1977-2	5/6-2560 ø 8 .41	5/6-22 ø 8 .24	5-3	516	303 ø 8
2060	5/6-2550 ø 10 .41	5/6-25 ø 10 .44	5-3	516	303 ø 10
5151	5/3-3431 ø 8 .21	5/3-35 ø 8 .23	5-3	516	303 ø 8
5200	5/3-3530 ø 10 .41	5/3-35 ø 10 .43	5-3	516	303 ø 10
<b>KIF 6</b>					
943	6-6059 ø 12 .51	6-6002 ø 12 .53	6-6	514	307 ø 12
970	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1012	6-2560 ø 8 .41	6-22 ø 8 .24	6-2	516	303 ø 8
1130	6-2564 ø 11 .41	6-22 ø 11 .44	6-2	516	303 ø 11
1130 N	6-2564 ø 11 .41	6-22 ø 11 .44	6-2	516	303 ø 11
1156	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1193	6-2553 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1194	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
1240	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1294	6-2550 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
1354	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1475	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1525	6-2450 ø 10 .21	6-21 ø 10 .24	6-2	516	303 ø 10
1560	6-2570 ø 11 .41	6-22 ø 11 .44	6-2	516	303 ø 11
1568	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1640	6-2570 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
1673	6-2553 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1674	6-2553 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1677	6-2560 ø 8 .41	6-22 ø 8 .24	6-2	516	303 ø 8
1677 SOR	6-1552 ø 8 .32	6-1201 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
1690	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1691	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1692	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empiercé
1700	6-2551 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1701	6-2551 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1703	6-2551 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1705	6-2551 ø 10 .41	6-22 ø 10 .44	6-2	516	303 ø 10
1711	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1713	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1717	6-2551 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1726	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1727	6-2561 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1728	6-2553 ø 9 .41	6-22 ø 9 .44	6-2	516	303 ø 9
1729	6-2561 ø 9 .41	6-22 ø 9 .24	6-2	516	303 ø 9
1744	6-2560 ø 9 .41	6-25 ø 9 .24	6-2	516	303 ø 9
1746	6-2551 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1750	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1751	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1752	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1753	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1754	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1755	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1756	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1757	6-2530 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
1761	6-2586 ø 8 .41	6-22 ø 8 .24	6-2	516	303 ø 8
1762	6-2561 ø 8 .41	6-2101 ø 8 .44	6-2	516	303 ø 8
1766	6-2560 ø 8 .41	6-25 ø 8 .24	6-2	516	303 ø 8
1767	6-2551 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10
1772	6-2553 ø 9 .41	6-2202 ø 9 .44	6-2	516	303 ø 9
1780	6-2553 ø 8 .41	6-25 ø 8 .24	6-2	516	303 ø 8
1781	6-2553 ø 8 .41	6-25 ø 8 .24	6-2	516	303 ø 8
1783	6-2553 ø 8 .41	6-25 ø 8 .24	6-2	516	303 ø 8
1790	6-2550 ø 10 .41	6-25 ø 10 .44	6-2	516	303 ø 10





Calibre	Bloc dessus		Bloc dessous		Ressort	Contre-pivot	Châton empierre
1791	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1814	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1816	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1838	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1839	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1846	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1860	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1873	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1876	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1880	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1881	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1895	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1900	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1900 SOR	6-2563	∅ 10 .42	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1901	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1902	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1903	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1904	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1906	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1913	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1914	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1916	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1920 SIN	6-2669	∅ 8 .22	6-25	∅ 8 .24	6-2	516	303 ∅ 8
1930	6-2667	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1931	6-2667	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
1953	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1953/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1954/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1955	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1955 SIN	6-2567	∅ 9 .42	6-25	∅ 9 .44	6-2	516	303 ∅ 9

Calibre	 Bloc dessus		 Bloc dessous		 Ressort	 Contre-pivot	 Châton empierré
1955/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1956/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1957/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1958 SIN	6-2567	∅ 9 .42	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1958/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1959/2	6-2530	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1977	6-2560	∅ 8 .41	6-22	∅ 8 .24	6-2	516	303 ∅ 8
1977-2	6-2560	∅ 8 .41	6-22	∅ 8 .24	6-2	516	303 ∅ 8
1981	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
1986	6-2551	∅ 9 .41	6-25	∅ 9 .44	6-2	516	303 ∅ 9
2060	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
2061	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
2062	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
2063	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
2066	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
2086	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10
3475	6-2550	∅ 10 .41	6-25	∅ 10 .44	6-2	516	303 ∅ 10