

Calibre 1565

Ø28.50mm
Ht: 6.30mm
Train: 18.000

- Automatic
- Calendar
- Centre Seconds
- Shock Proof
- 26 Jewels

Base Calibre 1530













Image	Rolex No.	Description
 	5093	Calendar wheel nut
 	7950	Centre wheel with cannon pinion
	7951	Cannon pinion ht. 2.75mm
 	7952	Hour wheel with double tothing ht. 1.80mm
	7955	Date jumper
	7956	Date indicator seating ref. 1500, 1501, 1503
	7957	Screw for date jumper
 	7958	Stud for date indicator seating







Image	Rolex No.	Description
	7959	Jewel for stud
	7960	Screw for date indicator seating
	7961-1	Date indicator: champagne
	7961-2	silvered
	7961-101	Date indicator: champagne, arabic
	7961-201	silvered, arabic
	7963	Date indicator seating, Ø ext. 27.86mm ref. 1600, 1601, 1602, 1603, 1605
	7964	Date indicator seating, Ø ext. 27.20mm ref. 1625


















Image	Rolex No.	Description
	7971	Spring for protecting the hairspring
	7976	Balance bridge
	7977	Stud support
	7978	Screw for stud holder
	7980	Balance with Breguet hairspring, timed
	7981	Screw for regulating the balance
	7986	Automatic device upper bridge
	7990	Automatic device module
	8006	Yoke for cam
	8007	Jewel for yoke for cam
	8008	Spring for cam yoke

Image	Rolex No.	Description
	8011	Stud for cam
	8021	Date wheel, mounted
	8024	Set of screws
	8119	Main plate
	55051	Screw for stud
	95098	Roller for date indicator seating