



1



2



3



4



5








6



7








JEAMBRUN

Calibre							
	Bloc dessus		Bloc dessous		Ressort	Contre-pivot	Châton empierre
KIF 6							
23 D	6-2576 ø 10	.41	6-25 ø 10	.44	6-2	516	303 ø 10
23 D SOR	6-2577 ø 10	.42	6-25 ø 10	.44	6-2	516	303 ø 10
26 D	6-2576 ø 10	.41	6-25 ø 10	.44	6-2	516	303 ø 10
26 D SOR	6-2577 ø 10	.42	6-25 ø 10	.44	6-2	516	303 ø 10
PS 31	6-2576 ø 10	.41	6-25 ø 10	.44	6-2	516	303 ø 10
PS 31 SOR	6-2577 ø 10	.42	6-25 ø 10	.44	6-2	516	303 ø 10
PS 32	6-2576 ø 10	.41	6-25 ø 10	.44	6-2	516	303 ø 10

LIP

KIF 1							
R 25	1-4568 ø 9	.41	1-45 ø 9	.43	1-4	517	304 ø 9
R 40	1-4571 ø 11	.41	1-45 ø 11	.43	1-4	517	304 ø 11
KIF 3							
R 148 SOR	3-3510 ø 9	.41	3-35 ø 9	.43	3-3	516	303 ø 9
R 148 SIP	3-3510 ø 9	.41	3-35 ø 9	.43	3-3	516	303 ø 9
KIF 4							
R 148 SOR	4-3510 ø 9	.41	4-35 ø 9	.43	4-3	516	303 ø 9
R 148 SIP	4-3510 ø 9	.41	4-35 ø 9	.43	4-3	516	303 ø 9

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empierré
KIF 6					
T 13 SOR	6-1551 ø 8 .31	6-1201 ø 8 .24	6-1	sus 515 sous 508	301 ø 8
R 016 SOR	6-2511 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
R 017 SOR	6-2511 ø 9 .41	6-25 ø 9 .44	6-2	516	303 ø 9
555 SOR	6-2584 ø 10 .42	6-2501 ø 10 .44	6-2	516	303 ø 10
556 SOR	6-2584 ø 10 .42	6-2501 ø 10 .44	6-2	516	303 ø 10






PARRENIN

KIF 1					
25	1-2557 ø 9 .31	1-2201 ø 9 .34	1-2	515	302 ø 9
40 mm	1-4580 ø 13 .41	1-42 ø 13 .43	1-4	517	304 ø 13
X 40	1-4855 ø 12 .51	1-4008 ø 12 .53	1-4	517	304 ø 12
Z 170	1-3558 ø 10 .41	1-32 ø 10 .43	1-3	516	303 ø 10
Z 171	1-3558 ø 10 .41	1-32 ø 10 .43	1-3	516	303 ø 10
680	1-2587 ø 10 .31	1-2003 ø 10 .33	1-2	515	302 ø 10
833	1-2573 ø 10 .31	1-2504 ø 10 .34	1-2	515	302 ø 10
U 833	1-3557 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
X 833	1-3557 ø 10 .41	1-35 ø 10 .43	1-3	516	303 ø 10
860	1-2587 ø 10 .31	1-2003 ø 10 .33	1-2	515	302 ø 10
1640	1-3559 ø 11 .41	1-32 ø 11 .43	1-3	516	303 ø 11
1640*	1-3560 ø 11 .41	1-32 ø 11 .43	1-3	516	303 ø 11

* PPM Parrenin



PARRENIN

Calibre	 Bloc dessus	 Bloc dessous	 Ressort	 Contre-pivot	 Châton empierré
KIF 4					
Z 170	4-3551 Ø 10 .41	4-3203 Ø 10 .43	4-3	516	303 Ø 10
Z 171	4-3551 Ø 10 .41	4-3203 Ø 10 .43	4-3	516	303 Ø 10
KIF 6					
25	6-2574 Ø 9 .41	6-22 Ø 9 .44	6-2	516	303 Ø 9
60	6-2555 Ø 10 .41	6-22 Ø 10 .44	6-2	516	303 Ø 10
60 SOR	6-2577 Ø 10 .42	6-22 Ø 10 .44	6-2	516	303 Ø 10
60 A	6-2555 Ø 10 .41	6-22 Ø 10 .44	6-2	516	303 Ø 10
90	6-2555 Ø 10 .41	6-22 Ø 10 .44	6-2	516	303 Ø 10
90 SOR	6-2577 Ø 10 .42	6-22 Ø 10 .44	6-2	516	303 Ø 10
95	6-2555 Ø 10 .41	6-25 Ø 10 .44	6-2	516	303 Ø 10
833	6-2576 Ø 10 .41	6-25 Ø 10 .44	6-2	516	303 Ø 10
KIF 9 (LUBROKIF)					
D 630*	9-3550 Ø 11,5 .41	9-35 Ø 11,5 .43			
2640*	9-3550 Ø 11,5 .41	9-32 Ø 11,5 .43			

* PPM Parrenin